
62,57

AMERICA'S FINEST TREE NURSERY

See "Sales Yard Suggestions" Starting Page 74
See "A Helpful Service" Starting Page 77



PRINCETON NURSERIES

Wholesale Price List SPRING 1956

William Flemer's Sons, Inc.

Princeton, N. J. Telephone 1-1776



FOREWORD

You will find in this catalogue a very complete ornamental line.
OUR STOCK IS REASONABLY PRICED

In shade trees we have exce	ellent.
-----------------------------	---------

Acer platanoides	Norway Maple, p. 7
" schwedleri	Schwedler Maple, p. 8
" dasycarpum	
" rubrum	
Platanus acerifolium (orientalis)	London Plantree, p. 45
Quercus palustris	Pin Oak, p. 50
Ulmus Americana (and types)	American Elm, p. 69

Flowering and Ornamental Trees

Crataegus cordata (phaenopyrum)	. Washington Hawthorn, p. 22
" mollis	Downy Hawthorn, p. 22
Halesia	. Silverbell, p. 29
Malus	Flowering Crabapples, p. 40-42
Prunus subhirtella pendula	. Weeping Japanese Cherry, p. 48
Prunus Japanese varieties	see p. 49

Flowering and Ornamental Shrubs

Cercis canadensis	American Redbud, p. 17
" chinensis	Chinese Redbud, p. 17
Cornus in variety	The Dogwoods, p. 19-20
Euonymus alatus	Winged Euonymus, p. 24
" compacta	Dwarf Winged Euonymus, p. 25
Forsythia in variety	See pages 26-27
Lonicera	The Honevsuckles, p. 37-38
Philadelphus	The Mockoranges, p. 43-44
Rhamnus in variety	The Buckthorns, p. 51-52
Rhodotypos kerriodes (scandens)	White Kerria, p. 52
Spirea in variety	p. 57-59
Stephanandra flexuosa	Cutleaf Stephanandra, p. 60
Symphoricarpos	The Snowberries, p. 60-61
Syringa	The Lilacs, p. 61-63
Viburnum	Many varieties, p. 70-72
Weigelia	In variety, p. 72-73
AZALEAS IN ASSORTMENT,	n. 11-13
Evergreens	The hest kinds
Ligustrum	The Privets n 35-36
Vines. Ground covers, etc.	110 1111005, p. 00-00

REMEMBER!

WE SPECIALIZE IN GROWING QUALITY NURSERY STOCK.
WE DO NO LANDSCAPING OR PLANTING JOBS.

WE ARE NOT YOUR COMPETITOR.

PRINCETON NURSERIES PRINCETON, NEW JERSEY

Princeton Products Are Quality Products
EARLY PURCHASE ASSURES BETTER ASSORTMENT

It is our constant aim to produce the finest stock that can be grown and to sell at reasonable prices.

坐 坐

See
"Sales Yard Suggestions"
Starting page 74

李 李 李

"A Helpful Service" Starting page 77

Conditions of Sale

PRICES, ETC.

The prices named in this list cancel all previous lists. They are based on current market conditions and are subject to change without notice.

TERMS

PRICES: F.O.B. NURSERY AT KINGSTON, N. J.

To those with an established record for prompt payment or with satisfactory references, we are glad to extend our regular terms at thirty days from date of invoice.

2% DISCOUNT will be allowed for payment in ten days from date of invoice.

5% DISCOUNT will be allowed for CASH IN FULL WHEN ORDER IS PLACED, providing digging or delivery is scheduled for not less than thirty days from date of order.

Orders for **shipment C.O.D.** must be accompanied by a remittance for one-third of the amount to insure acceptance. These are our only terms and no salesman or representative is authorized to alter them in any way unless confirmed from the office in writing.

CLAIMS

All sales are made with the understanding that we shall not be liable in event of crop loss, or of damage from other causes over which we have no control.

We will gladly correct any errors, but we cannot entertain any claims that are not made within ten days after receipt of the stock or are made after the stock has once been accepted. Claims should be made promptly in writing on receipt of stock.

Plants become your property upon delivery to transportation company and we cannot be responsible for loss, damage, or delay in transit.

All orders booked are based on the distinct understanding that the purchaser agrees to the condition of sales as stated above.

SCHEDULE OF B&B CHARGES

The following charges are made to cover additional cost of balling and burlapping deciduous trees and shrubs that are not listed B&B. The size of ball for most stock is in accordance with the A.A.N. "Horticultural Standards" recommendations.

These charges are based on a carefully dug, solid ball of earth, laced with rope or wire, and handled according to the best nursery practice.

'TRÉES, SHRUBS AND SMALL TREES

Diam. of ball	Size	Estimated Weight	Each
10"	18/24"	30 lbs	
12"	$2^{\prime}/3^{\prime}$	45 lbs	1.15
13"	3/4'	60 lbs	1.90
15"	4/5'	75 lbs	2.40
16"	5/6'	100 lbs	3.00
18"	6/8'	150 lbs	4.25
21"	8/10'	225 lbs	6.00
24"	2" cal.	300 lbs	8.25

The above charges apply only F.O.B. NURSERY. We will be glad to estimate a delivered price based on the terms of delivery noted below.

Ball depth will normally be not less than 60% of the diameter, and in all cases is adjusted so as to encompass a maximum of the fibrous root system of the plant.

BOXING CHARGES

Length	12x15"	15x16"	17x20"	19x24"	23x28"	27x32"	32x36"
4'	\$1.40	1.60	1.90	2.40	2.60	3.00	2.60
6′	2.10	2.40	2.85	3.60	3.90	4.50	5.40
8'	2.80	3.20	3.80	4.80	5.10	6.00	7.20
10'	3.50	4.00	4.75	6.00	6.50	7.50	9.00
12'	4.20	4.80	5.70	7.20	7.80	9.00	10.80
14'	4.90	5.60	6.65	8.40	9.10	10.50	12.60

Packing charges are at cost and represent the actual cost of the material used in the operation. No charge will be made for loading bulk truck or car lots.

DELIVERY SERVICE

Although we maintain and operate a number of trucks for delivery of our orders and for which a reasonable charge is made, it is very difficult for us to attempt to deliver the vast volume of material we produce and we strongly urge that our customers send their own trucks, or hire local trucks, to pick up their orders here at the nursery as soon as we send notification that orders are ready.

When you send your trucks for material, we will be very glad to load the stock carefully with our help and supply ample quantities of good damp packing material, without extra charge. We will handle the loads to the best of our ability and can even make arrangements to load your trucks in the evening, if necessary.

Be sure to bring tarpaulin or suitable coverings to protect the plants on the truck, so they will not dry out on the road.

DELIVERY CHARGES ARE NET AND DUE WHEN STOCK IS DELIVERED.

DELIVERING AGENT OR DRIVER WILL COLLECT THIS CHARGE WHEN DELIVERY IS MADE.

"CARLOADS" AND FREIGHT SHIPMENT

With our own railroad siding connecting with the main line of the Pennsylvania Railroad and a daily pickup service on L.C.L. and express shipments, we are in a position to expedite shipment to you without delay. Consult your local agent for rates to Monmouth Junction, N. J., or write us and we will gladly take care of it for you.

GUARANTEE OF GENUINENESS

We will send out healthy, thrifty stock, true to name. If any nursery stock proves untrue to description or variety name under which it is sold, we hold ourselves in readiness, on proper proof, to replace free of charge such stock that may prove untrue to description or name, or refund the original amount paid. We shall in no case be liable for any sum greater than the amount originally received for said stock.

COME TO SEE US

If you come by rail, use Pennsylvania Railroad and get off at Princeton Junction. Call Princeton 1-1776. We will send a car for you.

If you come by automobile our nurseries are on U. S. Highway No. 1, about ten miles northeast from Trenton. Watch for our signs.

NOTES IN EXPLANATION OF CATALOGUE

The figures following each variety indicate in feet the approximate height of that plant at maturity. Ample allowance has been made for the many physical factors that tend to modify the growth of plants in cultivation.

The botanical and common names are largely taken from the 1924 edition of "Standardized Plant Names." Changes in nomenclature according to the revised "Second Edition," which have not become generally familiar to the trade, are shown in parenthesis and cross-indexed for reference.

Our standard of grading all plants is based on a schedule which has been adopted by the American Association of Nurserymen.

To facilitate the handling of orders and to enable us to render you quicker and better service we desire where possible, especially in deciduous material, that orders be made in multiples of 10. Many varieties are tied in 10's when graded. Your cooperation will be appreciated.



ABELIA GRANDIFLORA—Glossy Abelia. Good plants. An excellent evergreen shrub. Blooms all summer.

	Unit P 1-9	Price in Qua 10-49	ntities 50-249
ABELIA grandiflora, 3'-4'		Glossy	Abelia
Evergreen. Lilac-white tinted flowers. Bl	ooms all	l summer.	
12 to 15 in., B. R. Puddled	.60	.50	.40
15 to 18 in., B. R. Puddled	.75	. 6 0	.50
18 to 24 in., B. R. Puddled	1.10	.95	.75
2 to 3 ft., B. R. Puddled	1.50	1.25	1.00
15 to 18 in., B&B	1.50	1.25	1.00
18 to 24 in., B&B	1.90	1.50	1.25
2 to 3 ft., B&B	2.60	2.20	1.75
3 to 3½ ft., B&B	3.40	2.80	2.25
ACANTHOPANAX pentaphyllum (sieboldianu Glossy rich green foliage, Thrives in sh			
posures and dry locations. Good for hedg			
12 to 18 in	.45	.37	.30
18 to 24 in	.60	.50	.40
2 to 3 ft.	.75	.60	.50
JAPANESE MAPLES	\$		

ACER palmatum atropurpureum, 6'-8'

Japanese Red Maple

A good dwarf tree with rich purple leaves all summer. Best in sun.

SORRY, SOLD OUT FOR THIS SEASON

We do have a limited quantity of selected seedling plants of good quality, as follows:

12	to	15	in.,	B&B	1.90	1.50	1.25
15	to	18	in.,	Potted	2.25	1.90	1.50



ACER dasycarpum—Silver Maple. A good fast growing low priced tree. A lot of tree for the money. Wier's Cutleaf Maple at the right.

	Unit I 1-9	Price in Qu 10-49	antities 50-249
ACER—MAPLES			
ACER buergerianum, 40'		Triden	t Maple
Similar to Ginnala. Makes bigger tree.			
5 to 6 ft	3.40	2.80	2.25
6 to 8 ft	4.10	3.50	2.75
8 to 10 ft	5.60	4.75	
— campestre, 25'		Hedg	ge Maple
Corky bark. Good in dry locations in un	dergrov	wth. Grows	s slowly.
3 to 4 ft	1.65	1.35	1.10
4 to 5 ft	2.50	2.05	1.65
5 to 6 ft	3.75	3.00	2.50
6 to 8 ft.	5.25	4.40	3.50
		au.	37 1-
— dasycarpum, 60'-80'			er Maple
Quick growing, graceful. Leaves silvery			4 0 5
6 to 8 ft	1.90	1.50	1.25
8 to 10 ft., 1 to 1¼ in	2.60	2.20	1.75
8 to 10 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in	3.40	2.80	2.25
10 to 12 ft., 1½ to 1¾ in	4.90	4.05	3.25
11 to 13 ft., 1¾ to 2 in	6.35	5.30	4.25
12 to 14 ft., 2 to 2 ¼ in	8.50	7.00	5.50
12 to 14 ft., $2\frac{1}{4}$ to $2\frac{1}{2}$ in	10.50	8.80	7.00



ACER platanoides—Norway Maple. As fine as can be grown. Well balanced tops. Clean straight trunks. A Princeton specialty.

	Unit 1 1-9	Price in Qu 10-49	
ACER dasycarpum pyramidalis, 60'-80'	Pyr	amid Silve	er Maple
An attractive pyramidal form of Acer and distinctive.	dasycarp	um. Fast	growing
8 to 10 ft	4.50	3.75	3.00
9 to 11 ft., 1½ to 1¾ in	5.60	4.75	3.75
10 to 12 ft., 1 1/4 to 2 in	6.75	5.50	4.50
11 to 13 ft., 2 to $2\frac{1}{2}$ in	8.50	7.00	5.50
12 to 14 ft., $2\frac{1}{2}$ to $2\frac{3}{4}$ in	10.75	9.00	
— — wieri, 60'-80'	Wi	er's Cutle	af Maple
Graceful, drooping form. Deeply cut le	eaves.		
9 to 11 ft., 1 ¼ to 1 ½ in	4.00	3.30	2.60
10 to 12 ft., $1\frac{1}{2}$ to $1\frac{3}{4}$ in	5.25	4.40	3.50
11 to 13 ft., $1\frac{3}{4}$ to 2 in	6.35	5.25	
— ginnala, 10'-12'		Amı	ır Maple
Compact growing. Excellent fall coloris	ng. Very	hardy.	
3 to 4 ft	1.25	1.05	.85
4 to 5 ft	1.65	1.35	1.10
5 to 6 ft	2.40	2.00	1.60
6 to 8 ft	3.40	2.80	2.25
— platanoides, 50'-75'			ay Maple
Most popular for street planting. Dark gwell spaced and nicely branched.	green foli	age. Trans	splanted,
5 to 6 ft	2.60	2.20	1.75
6 to 8 ft	3.75	3.00	2.50
8 to 10 ft., 1 to 1 1/4 in	5.25	4.40	3.50
9 to 11 ft., 1 ½ to 1 ½ in	7.50	6.00	5.00
10 to 12 ft., $1\frac{1}{2}$ to $1\frac{3}{4}$ in	10.50	8.80	7.00
11 to 13 ft., 1 ¾ to 2 in	13.50	11.00	9.00

SPECIAL			
ACER platanoides		Norway	Maple
Whips and Lining Out Grades.			ĺ
4 to 5 ft. Whips	.90	.75	.60
5 to 6 ft. Whips	1.30	1.10	.90
6 to 7 ft. Whips	1.50	1.25	1.00
7 to 8 ft. Whips	1.75	1.40	1.15
A CEPP relationarides columnare 50/ 75/	Colum	nar Norwa	v Manle
ACER platanoides columnare, 50'-75' An outstanding, compact growing tree.			
dense tree is desired.	very user	ur where a	паттом
5 to 6 ft	3.40	2.80	2.25
6 to 8 ft	$\frac{4.65}{0.75}$	$\frac{4.05}{5.50}$	3.25
8 to 10 ft., 1 to 1 1/4 in	$\substack{6.75\\9.00}$	$egin{array}{c} 5.50 \ 7.50 \end{array}$	
9 to 11 ft., 1¼ to 1½ in	12.00	10.00	
11 to 13 ft., 1 \(\frac{1}{2} \) to 1 \(\frac{1}{4} \) III	16.50	13.50	
12 to 14 ft., 2 to 2 1/4 in.	20.00	16.00	
12 to 14 ft., 2 ¼ to 2 ½ in	24.00	20.00	
Rich purple leaves hold their color ent of all purple leafed maples. Grown und 4 to 5 ft	ire seaso ler license 3.75 5.25 7.15	n. By far to by patent 3.00 4.40 5.85	the best cowner. 2.50 3.50 4.75
— — drummondi, 20'-30' Silve	r Variega	ted Norwa	y Maple
Green leaves with almost white edging the leaf. A showy novelty.	g which f	ollows con	tours of
4 to 5 ft	2.70	2.25	
5 to 6 ft	3.75	3.00	
		Schwedle	er Maple
Purple leaved Norway Maple.			
5 to 6 ft	3.75	3.00	2.50
6 to 8 ft	4.65	4.05	3.50
8 to 10 ft., 1 to 1 1/4 in.	7.50	6.00	
8 to 10 ft., 1 ½ to 1 ½ in	10.50	8.80	
— pseudoplatanus, 60'		Planetre	e Maple
Vigorous growing. Spreading habit. Go seashore.	ood in exp	osed locat	ions and
4 to 5 ft	1.95	1.60	1.30
W	2.50	2.20	1.75
	$\frac{2.30}{3.75}$	$\frac{2.20}{3.00}$	$\frac{1.75}{2.50}$
6 to 8 ft	$\frac{3.75}{4.65}$	$\frac{3.00}{4.05}$	$\frac{2.30}{3.25}$
8 to 10 ft., 1 to 1 ¼ in			
8 to 10 ft., 1 ½ to 1½ in	6.00	5.00	4.00
9 to 11 ft., 1½ to 1¾ in	7.50	6.00	5.00
10 to 12 ft., 1 ¾ to 2 in	10.50	8.80	7.00



ACER rubrum—Red or Scarlet Maple. Good heads and straight trunks. A specially selected strain for the utmost in fall coloration.

	Unit l 1-9	Price in Qu 10-49	antities 50-249
ACER rubrum, 50'-75'	Re	d or Scarle	et Maple
Brilliant fall coloring. Excellent in damp	locatio	ons.	
4 to 5 ft	1.90	1.50	1.25
5 to 6 ft	2.50	2.05	1.65
6 to 8 ft	3.40	2.80	2.25
8 to 10 ft., 1 to 1 1/4 in	4.65	4.05	3.25
9 to 11 ft., 1 1/4 to 1 1/2 in	7.15	5.85	4.75
10 to 12 ft., 1½ to 1¾ in	10.00	8.00	
11 to 13 ft., 1 ¾ to 2 in.			
— saccharum, 50'-75'		Suga	ar Maple
A stately, long lived tree. Rich autumn oin most locations.	oloring	. Very sati	isfactory
6 to 8 ft	4.10	3.50	2.75
8 to 10 ft., 1 to $1\frac{1}{4}$ in			
ACTINIDIA arguta, 20'-30'		Border A	Actinidia
Greenish white flowers in July. Rich daberries.	rk gre	en foliage.	Yellow
12 to 18 in	.60	.50	.40
18 to 24 in	.75	.60	.50
2 to 3 ft	.90	.75	.60
3 to 4 ft	1.10	.95	

	Unit P 1-9	rice in Qua 10-49	ntities 50-249
AILANTHUS glandulosa, 50'-60'		Tree of	Heaven
Succeeds under most adverse city conditi grows rapidly.	ons. Ha	s large lea	ves and
6 to 8 ft	$\begin{matrix}3.00\\6.00\end{matrix}$	$\begin{smallmatrix}2.50\\5.00\end{smallmatrix}$	2.00
AKEBIA quinata, 15'-20' An excellent vine. Deep green. Purple flow until winter.		Fiveleaf May. Holds	
1 year ALMOND, FLOWERING (See PRUNUS)	.60	.00	.10
ALTHEA (See HIBISCUS)			
		Downy sh	adhlow
AMELANCHIER canadensis 20'-30' Juneberry, Early white flowers, Edible small		it.	
12 to 18 in	.70 $.85$.55 $.70$.45
18 to 24 in	1.00	.80	
$2 \frac{1}{2}$ to 3 ft	1.10	.95	
3 to 4 ft	1.50	1.25	
— laevis, 20′-30′		legheny sh	
New leaves are smooth and have redd flowers; purple fruits.	ish hue		rooping
12 to 18 in	.70	.55	
18 to 24 in	.85	.70	
AMORPHA fruticosa, 8'-10'			igobush
Deep purple flowers in June. Spreading resistant.	habit. T	ough and	drought
3 to 4 ft	1.00	.80	.65
4 to 5 ft	1.20	1.00	.80
AMPELOPSIS heterophylla, 25'-30'		elain Amp	
A sturdy vine with excellent foliage. Ve	ry attra	ctive turqu	ioise
colored fruit. 2 year	.75	.60	.50
— quinquefolia engelmanni, 30'-40'		ngelmann	Creeper
Excellent self-clinging vine. Richly colo			1.0
1 year	.27	.22	.18
2 year	.33	.27	.22
— tricuspidata veitchi, 40'-50' Dense, self-clinging vine. Blue-black be	rries.	Во	ston Ivy
12 to 18 in., 1 year	.37	.30	.25
12 to 18 in., 2 year	.52	.45	.35
3 in. pots	.52	.45	.35
——lowi, 6'-8'		Geranium	_
Dwarf type of veitchi, with smaller, deep ful and distinct.	oly-cut f	oliage. Ver	y grace-
3 in. pot	1.00	.80	.65
1.0			

AMYGDALIS nana (See PRUNUS GLANDULOSA)

ARBORVITAE (See THUJA)

ARONIA arbutifolia, 6'-8' Bright red berries in fall.		Red Chok	eberry
12 to 18 in	.45	.37	.30
18 to 24 in	.60	.50	.40
2 to 3 ft	.85	.70	.55
— brilliantissima, 6'-8'		nt red chok	eberry
Similar to arbutifolia but more brilliant			
12 to 18 in	.45	.37	.30
18 to 24 in	.60	.50	.40
2 to 3 ft	.85	.70	.55
3 to 4 ft	1.00	.80	.65
— melanocarpa (Nigra) 8'-10'		Black Chok	eberry
White flowers in May. Black berries in		0.7	
12 to 18 in	.45	.37	.30
18 to 24 in	.60	.50	.40
2 to 3 ft	.85	.70	.55
3 to 4 ft	1.00	.80	.65
ASH GREEN (See FRAXINUS)			
ASH WHITE (See FRAXINUS)			
AZALEAS (RHODODEN)	DRON)		
AZALEAS (RHODODENI		Amoena	A 72 162
AZALEA amoena (Rhodo, obtusum amoenum Evergreen, Conspicuous, purple-red flo	n) 3'-4'	Amoena ril-May. Le	
AZALEA amoena (Rhodo. obtusum amoenum Evergreen. Conspicuous, purple-red flor turn a rich, bronze-green in winter.	n) 3'-4'		
AZALEA amoena (Rhodo. obtusum amoenum Evergreen. Conspicuous, purple-red flo- turn a rich, bronze-green in winter. 8 to 10 in., B&B	n) 3'-4' wers. Ap	ril-May. Le	eaves
AZALEA amoena (Rhodo. obtusum amoenum Evergreen. Conspicuous, purple-red flor turn a rich, bronze-green in winter. 8 to 10 in., B&B	n) 3'-4' wers. Ap	ril-May. Le	eaves
AZALEA amoena (Rhodo. obtusum amoenum Evergreen. Conspicuous, purple-red flor turn a rich, bronze-green in winter. 8 to 10 in., B&B	m) 3'-4' wers. Ap 1.75 2.10	1.40 1.75	1.15 1.40 1.85
AZALEA amoena (Rhodo. obtusum amoenum Evergreen. Conspicuous, purple-red floturn a rich, bronze-green in winter. 8 to 10 in., B&B	m) 3'-4' wers. Ap 1.75 2.10 2.75	ril-May. Le 1.40 1.75 2.30 Hinodegiri Amoena;	1.15 1.40 1.85 Azalea flowers
AZALEA amoena (Rhodo. obtusum amoenum Evergreen. Conspicuous, purple-red floturn a rich, bronze-green in winter. 8 to 10 in., B&B	m) 3'-4' wers. Ap 1.75 2.10 2.75	ril-May. Le 1.40 1.75 2.30 Hinodegiri Amoena;	1.15 1.40 1.85 Azalea flowers
AZALEA amoena (Rhodo. obtusum amoenum Evergreen. Conspicuous, purple-red floturn a rich, bronze-green in winter. 8 to 10 in., B&B	m) 3'-4' wers. Ap 1.75 2.10 2.75	ril-May. Le 1.40 1.75 2.30 Hinodegiri Amoena;	1.15 1.40 1.85 Azalea flowers
AZALEA amoena (Rhodo. obtusum amoenum Evergreen. Conspicuous, purple-red floturn a rich, bronze-green in winter. 8 to 10 in., B&B	n) 3'-4' wers. Ap 1.75 2.10 2.75 with that or with	ril-May. Le 1.40 1.75 2.30 Hinodegiri Amoena; Rhododend	1.15 1.40 1.85 Azalea flowers
AZALEA amoena (Rhodo. obtusum amoenum Evergreen. Conspicuous, purple-red floturn a rich, bronze-green in winter. 8 to 10 in., B&B	n) 3'-4' wers. Ap 1.75 2.10 2.75 with than or with 1.75	ril-May. Le 1.40 1.75 2.30 Hinodegiri Amoena; Rhododend 1.40	1.15 1.40 1.85 Azalea flowers ron. 1.15
AZALEA amoena (Rhodo. obtusum amoenum Evergreen. Conspicuous, purple-red floturn a rich, bronze-green in winter. 8 to 10 in., B&B	n) 3'-4' wers. Ap 1.75 2.10 2.75 with than or with 1.75 2.10	ril-May. Le 1.40 1.75 2.30 Hinodegiri Amoena; Rhododend 1.40 1.75	1.15 1.40 1.85 Azalea flowers ron. 1.15 1.40
AZALEA amoena (Rhodo. obtusum amoenum Evergreen. Conspicuous, purple-red flot turn a rich, bronze-green in winter. 8 to 10 in., B&B	n) 3'-4' wers. Ap 1.75 2.10 2.75 with than or with 1.75 2.10 2.75	1.40 1.75 2.30 Hinodegiri Amoena; Rhododend 1.40 1.75 2.30	1.15 1.40 1.85 Azalea flowers ron. 1.15 1.40 1.85
AZALEA amoena (Rhodo. obtusum amoenum Evergreen. Conspicuous, purple-red floturn a rich, bronze-green in winter. 8 to 10 in., B&B	n) 3'-4' wers. Ap 1.75 2.10 2.75 with than or with 1.75 2.10 2.75 3.75	1.40 1.75 2.30 Hinodegiri Amoena; Rhododend 1.40 1.75 2.30 3.00 4.05	1.15 1.40 1.85 Azalea flowers ron. 1.15 1.40 1.85 2.50 3.25
AZALEA amoena (Rhodo. obtusum amoenum Evergreen. Conspicuous, purple-red flot turn a rich, bronze-green in winter. 8 to 10 in., B&B	n) 3'-4' wers. Ap 1.75 2.10 2.75 with than or with 1.75 2.10 2.75 3.75 4.65	ril-May. Le 1.40 1.75 2.30 Hinodegiri Amoena; Rhododend 1.40 1.75 2.30 3.00 4.05	1.15 1.40 1.85 Azalea flowers ron. 1.15 1.40 1.85 2.50
AZALEA amoena (Rhodo. obtusum amoenum Evergreen. Conspicuous, purple-red flot turn a rich, bronze-green in winter. 8 to 10 in., B&B	n) 3'-4' wers. Ap 1.75 2.10 2.75 with than or with 1.75 2.10 2.75 3.75 4.65	ril-May. Le 1.40 1.75 2.30 Hinodegiri n Amoena; Rhododend 1.40 1.75 2.30 3.00 4.05 Torch desirable.	1.15 1.40 1.85 Azalea flowers ron. 1.15 1.40 1.85 2.50 3.25
AZALEA amoena (Rhodo. obtusum amoenum Evergreen. Conspicuous, purple-red flot turn a rich, bronze-green in winter. 8 to 10 in., B&B	m) 3'-4' wers. Ap 1.75 2.10 2.75 with that or with 1.75 2.10 2.75 3.75 4.65	ril-May. Le 1.40 1.75 2.30 Hinodegiri Amoena; Rhododend 1.40 1.75 2.30 3.00 4.05 Torch desirable. 2.80	1.15 1.40 1.85 Azalea flowers ron. 1.15 1.40 1.85 2.50 3.25 Azalea
AZALEA amoena (Rhodo. obtusum amoenum Evergreen. Conspicuous, purple-red flot turn a rich, bronze-green in winter. 8 to 10 in., B&B	n) 3'-4' wers. Ap 1.75 2.10 2.75 with than or with 1.75 2.10 2.75 3.75 4.65	ril-May. Le 1.40 1.75 2.30 Hinodegiri n Amoena; Rhododend 1.40 1.75 2.30 3.00 4.05 Torch desirable.	1.15 1.40 1.85 Azalea flowers ron. 1.15 1.40 1.85 2.50 3.25





Right to left—Azalea Amonea; Azalea Kaempferi Othello; Pieris Japonica (Japanese Andromeda).

Unit price in Quantities 1-9 10-49 50-249

AZALEA KAEMPFERI HYBRIDS

Carmen—Rose-pink flowers. 15-18"; 18-24" Cleopatra—Lilac-rose flowers. 15-18"; 18-24"

Fedora—Salmon-rose flowers. 12-15"; 15-18"; 18-24"

Louise—Light-rose flowers. 10-12"; 12-15"; 15-18"; 18-24"

Othello-Brick-red flowers. 10-12"; 12-15"; 15-18"; 18-24"

Wilhelmina Vuyk—The very best hardy white. 10-12"; 12-15"; 15-18"; 18-24"

10 to 12 in., B&B	2.10	1.75	1.40
12 to 15 in., B&B	2.60	2.20	1.75
15 to 18 in., B&B	3.30	2.80	2.25
18 to 24 in., B&B	4.50	3.75	3.00

KURUME AZALEAS—EVERGREEN

Christmas Cheer—Crimson. 6-8"; 8-10"; 10-12"; 12-15" Flame—Brilliant red flowers. 8-10"; 10-12"; 12-15"; 15-18" Snow—Large pure white flowers. 8-10"; 10-12"; 12-15"

Kurume varieties at following prices.

6	to	8 in	1.45	1.20	.95
8	to	10 in	1.75	1.40	1.15
10	to	12 in	2.10	1.75	1.40
12	to	15 in	2.75	2.30	1.85
15	to	18 in	3.75	3.00	2.50

	1-0	10-49	00-210
AZALEA ledifolia alba (Indica), 4'-6'		Snow	Azalea
Evergreen. Large single white flowers, striking background for Azalea hinodes time.	freely p giri bloo	roduced. N	Makes a
12 to 15 in., B&B	$\frac{2.75}{3.75}$	$\begin{smallmatrix}2.30\\3.00\end{smallmatrix}$	1.85
— — lilacina, 4'-6' Single lilac flowers.	Lila	ic Ledifolia	Azalea
15 to 18 in., B&B	3.50	2.80	
18 to 24 in., B&B 2 to 2½ ft., B&B	$\begin{array}{c} 4.50 \\ 6.00 \end{array}$	$\begin{array}{c} 3.75 \\ 5.00 \end{array}$	
— poukhanensis 1'-3'		Korear	Azalea
Single purple lilac flowers are borne pro	fusely in	May. Very	y hardy.
9 to 12 in	2.10	1.75	1.40
12 to 15 in.	2.90	2.40	1.95
15 to 18 in	3.75	3.00	2.50
BAYBERRY—(See MYRICA)			
BEACH PLUM (See PRUNUS)			
BEAUTYBUSH (See KOLKWITZIA)			
BENZOIN aestivale (LINDERA benzoin), 10	0'-12'	Sr	oicebush
Yellow flowers in spring followed by b Spicy aromatic foliage.			ncebusn
18 to 24 in	.55	.45	.35
18 to 24 in. 2 to 3 ft. 3 to 4 ft.	$\begin{array}{c} .55 \\ .70 \\ .90 \end{array}$	$.45 \\ .55 \\ .75$	$\begin{array}{c} .35 \\ .45 \\ .60 \end{array}$
2 to 3 ft	$\begin{array}{c} .70 \\ .90 \end{array}$.55	.45
2 to 3 ft. 3 to 4 ft.	.70 .90	.55	.45 .60
2 to 3 ft. 3 to 4 ft. BERBERIS—HARDY EVERGREEN TYPES	.70 .90	.55 .75 ntergreen E	.45 .60
2 to 3 ft. 3 to 4 ft. BERBERIS—HARDY EVERGREEN TYPES — julianae, 4'-6'	.70 .90	.55 .75 ntergreen E	.45 .60
2 to 3 ft. 3 to 4 ft. BERBERIS—HARDY EVERGREEN TYPES — julianae, 4'-6' Medium growth. Broad spined leaves. E- 12 to 15 in., B&B	.70 .90 S Winvergreen 1.90 2.60	.55 .75 etergreen E 1.50 2.20	.45 .60 Barberry 1.25 1.75
2 to 3 ft. 3 to 4 ft. BERBERIS—HARDY EVERGREEN TYPES — julianae, 4'-6' Medium growth. Broad spined leaves. E- 12 to 15 in., B&B 15 to 18 in., B&B 18 to 24 in., B&B	.70 .90 S Winvergreen 1.90 2.60 3.75	.55 .75 attergreen E 1.50 2.20 3.00	.45 .60 Barberry 1.25 1.75 2.50
2 to 3 ft. 3 to 4 ft. BERBERIS—HARDY EVERGREEN TYPES — julianae, 4'-6' Medium growth. Broad spined leaves. E- 12 to 15 in., B&B 15 to 18 in., B&B 18 to 24 in., B&B 2 to 2½ ft., B&B	.70 .90 S Winvergreen 1.90 2.60	.55 .75 etergreen E 1.50 2.20	.45 .60 Barberry 1.25 1.75
2 to 3 ft. 3 to 4 ft. BERBERIS—HARDY EVERGREEN TYPES — julianae, 4'-6' Medium growth. Broad spined leaves. Expression of the second s	.70 .90 S Win vergreen 1.90 2.60 3.75 5.25	.55 .75 htergreen E 1.50 2.20 3.00 4.40 ree Spine E	.45 .60 Barberry 1.25 1.75 2.50 3.50
2 to 3 ft. 3 to 4 ft. BERBERIS—HARDY EVERGREEN TYPES — julianae, 4'-6' Medium growth. Broad spined leaves. E- 12 to 15 in., B&B 15 to 18 in., B&B 18 to 24 in., B&B 2 to 2½ ft., B&B — triacanthophora, 4'-6' Fast growing, evergreen. Spined leaves,	.70 .90 Win vergreen 1.90 2.60 3.75 5.25 Thi	.55 .75 etergreen E 1.50 2.20 3.00 4.40 ree Spine E	.45 .60 Barberry 1.25 1.75 2.50 3.50
2 to 3 ft. 3 to 4 ft. BERBERIS—HARDY EVERGREEN TYPES — julianae, 4'-6' Medium growth. Broad spined leaves. End to 15 in., B&B. 15 to 18 in., B&B. 18 to 24 in., B&B. 2 to 2½ ft., B&B. — triacanthophora, 4'-6' Fast growing, evergreen. Spined leaves, 9 to 12 in., B&B.	.70 .90 3 Winvergreen 1.90 2.60 3.75 5.25 This	.55 .75 etergreen E . 1.50 2.20 3.00 4.40 ree Spine E nabit. 1.90	.45 .60 Barberry 1.25 1.75 2.50 3.50 Barberry
2 to 3 ft. 3 to 4 ft. BERBERIS—HARDY EVERGREEN TYPES — julianae, 4'-6' Medium growth. Broad spined leaves. End to 15 in., B&B. 15 to 18 in., B&B. 18 to 24 in., B&B. 2 to 2½ ft., B&B. — triacanthophora, 4'-6' Fast growing, evergreen. Spined leaves, 9 to 12 in., B&B. 12 to 15 in., B&B.	.70 .90 S Winvergreen 1.90 2.60 3.75 5.25 This bushy 1 2.25 3.00	.55 .75 htergreen E 1.50 2.20 3.00 4.40 ree Spine E habit. 1.90 2.50	.45 .60 Barberry 1.25 1.75 2.50 3.50 Barberry
2 to 3 ft. 3 to 4 ft. BERBERIS—HARDY EVERGREEN TYPES — julianae, 4'-6' Medium growth. Broad spined leaves. End to 15 in., B&B. 15 to 18 in., B&B. 18 to 24 in., B&B. 2 to 2½ ft., B&B. — triacanthophora, 4'-6' Fast growing, evergreen. Spined leaves, 9 to 12 in., B&B.	.70 .90 3 Winvergreen 1.90 2.60 3.75 5.25 This	.55 .75 etergreen E . 1.50 2.20 3.00 4.40 ree Spine E nabit. 1.90	.45 .60 Barberry 1.25 1.75 2.50 3.50 Barberry
2 to 3 ft. 3 to 4 ft. BERBERIS—HARDY EVERGREEN TYPES — julianae, 4'-6' Medium growth. Broad spined leaves. End to 15 in., B&B. 15 to 18 in., B&B. 18 to 24 in., B&B. 2 to 2½ ft., B&B. — triacanthophora, 4'-6' Fast growing, evergreen. Spined leaves, 9 to 12 in., B&B. 12 to 15 in., B&B. 15 to 18 in., B&B.	.70 .90 3 Winvergreen 1.90 2.60 3.75 5.25 Thi bushy t 2.25 3.00 3.90	.55 .75 htergreen E . 1.50 2.20 3.00 4.40 ree Spine E habit. 1.90 2.50 3.25	.45 .60 Barberry 1.25 1.75 2.50 3.50 Barberry
2 to 3 ft. 3 to 4 ft. BERBERIS—HARDY EVERGREEN TYPES — julianae, 4'-6' Medium growth. Broad spined leaves. Ending the spined leaves. 12 to 15 in., B&B. 2 to 2½ ft., B&B. — triacanthophora, 4'-6' Fast growing, evergreen. Spined leaves, 9 to 12 in., B&B. 12 to 15 in., B&B. 15 to 18 in., B&B. 18 to 24 in., B&B.	.70 .90 3 Winvergreen 1.90 2.60 3.75 5.25 Thi bushy t 2.25 3.00 3.90	.55 .75 htergreen E . 1.50 2.20 3.00 4.40 ree Spine E habit. 1.90 2.50 3.25	.45 .60 Barberry 1.25 1.75 2.50 3.50 Barberry
2 to 3 ft. 3 to 4 ft. BERBERIS—HARDY EVERGREEN TYPES — julianae, 4'-6' Medium growth. Broad spined leaves. End 12 to 15 in., B&B 15 to 18 in., B&B 18 to 24 in., B&B 2 to 2½ ft., B&B — triacanthophora, 4'-6' Fast growing, evergreen. Spined leaves, 9 to 12 in., B&B 12 to 15 in., B&B 15 to 18 in., B&B 15 to 18 in., B&B 18 to 24 in., B&B BERBERIS—DECIDUOUS TYPES	.70 .90 .90 .90 .90 2.60 3.75 5.25 Thi bushy 1 2.25 3.00 3.90 5.00	.55 .75 ntergreen E 1.50 2.20 3.00 4.40 ree Spine E nabit. 1.90 2.50 3.25 4.00	.45 .60 Barberry 1.25 1.75 2.50 3.50 Barberry
2 to 3 ft. 3 to 4 ft. BERBERIS—HARDY EVERGREEN TYPES — julianae, 4'-6' Medium growth. Broad spined leaves. Ending the spined leaves. Ending to 15 in., B&B. 15 to 18 in., B&B. 15 to 24 in., B&B. 2 to 2½ ft., B&B. — triacanthophora, 4'-6' Fast growing, evergreen. Spined leaves, 9 to 12 in., B&B. 12 to 15 in., B&B. 15 to 18 in., B&B. 15 to 18 in., B&B. 18 to 24 in., B&B. BERBERIS—DECIDUOUS TYPES — mentorensis, 4' Upright type with dark green foliage.	.70 .90 .90 .90 .90 2.60 3.75 5.25 Thi bushy 1 2.25 3.00 3.90 5.00	.55 .75 .75 .75 	.45 .60 Barberry 1.25 1.75 2.50 3.50 Barberry
2 to 3 ft. 3 to 4 ft. BERBERIS—HARDY EVERGREEN TYPES — julianae, 4'-6' Medium growth. Broad spined leaves. Ending the spined leaves. 12 to 15 in., B&B. 18 to 24 in., B&B. 19 to 12 in., B&B. 19 to 15 in., B&B. 19 to 15 in., B&B. 19 to 18 in., B&B. 19 to 19 in., B&B. 10 to 19 in., B&B. 110 to 19 in., B&B. 111 to 19 in., B&B. 112 to 15 in., B&B. 113 to 24 in., B&B. 114 to 24 in., B&B. 115 to 18 in., B&B. 115 to 18 in. 115 to 18 in	.70 .90 .90 .90 .60 3.75 5.25 Thi bushy 1 2.25 3.00 3.90 5.00 Excelle	.55 .75 .75 .75 .75 .75 .75 .75 .75 .75	.45 .60 Barberry 1.25 1.75 2.50 3.50 Barberry
2 to 3 ft. 3 to 4 ft. BERBERIS—HARDY EVERGREEN TYPES — julianae, 4'-6' Medium growth. Broad spined leaves. Ending the spined leaves. Ending the spined leaves. Ending the spined leaves. Ending the spined leaves. 12 to 15 in., B&B. 15 to 18 in., B&B. 2 to 2½ ft., B&B. — triacanthophora, 4'-6' Fast growing, evergreen. Spined leaves, 9 to 12 in., B&B. 12 to 15 in., B&B. 15 to 18 in., B&B. 15 to 18 in., B&B. 18 to 24 in., B&B. BERBERIS—DECIDUOUS TYPES — mentorensis, 4' Upright type with dark green foliage. Very drought resistant. 12 to 15 in	.70 .90 .90 .90 .90 2.60 3.75 5.25 Thi bushy 1 2.25 3.00 3.90 5.00	.55 .75 .75 .75 	.45 .60 Barberry 1.25 1.75 2.50 3.50 Barberry Barberry oration40

	1-9	Unit Price in 10-49	Quantit 50-249	cies 250-up
BERBERIS thunbergi, 4'-5'		Jar	anese P	Barberry
Rugged, low hedge plant. Red b	erries	all winter. E	xcellent	barrier
because of spiny growth. Richly	color	ed fall foliag	e. ·	
9 to 12 in., 2 yr. trsp	.19	.16	.13	.11
12 to 15 in 2 vr. trsp	.25	.23	.19	.16
15 to 18 in., 2 yr. trsp	.34	.29	.24	.22
18 to 24 in., 2 yr. trsp	.52	.45	.35	.28
— thunbergi, 2 year, not transplante	ed			
9 to 12 in	.10	.09	.07	.06
12 to 15 in	.13	.11	.09	.08
15 to 18 in	.17	.15	.12	.11
18 to 24 in	.25	.20	.16	.14
		1-9	10-49	50 - 249
— — atropurpurea, 4'-5'		Red Jaj	anese F	Barberry
Reddish-purple type of thunbe	rgi. Ex	cellent for p	outting	in sales
yard operation.	-0			
9 to 12 in		. 37	.30	.25
12 to 15 in		45	.37	.30
15 to 18 in		.52	.45	.35
— — erecta, 5'		Truehed	ge Colu	mnberry
Narrow upright habit.			4.0	9.0
15 to 18 in		50	.40	$\begin{array}{c} .32 \\ .40 \end{array}$
18 to 24 in		60 85	.50 $.70$.55
2 to 3 ft				
*BETULA alba (pendula), 30'-50'		Europe	an Whi	te Birch
Very attractive tree with white	bark.			
4 to 5 ft		. 1.10	.95	.75
5 to 6 ft		. 1.50	1.25	
6 to 8 ft		. 2.60	2.20	0
8 to 10 ft		. 3.75	$\frac{3.00}{3.75}$	2.50 3.00
10 to 12 ft		$\frac{4.50}{6.00}$	$\frac{5.15}{5.00}$	$\frac{3.00}{4.00}$
12 to 14 ft.		. 0.00	5.00	1.00
* CLUMPS, two or more sto	ems			
3 to 4 ft		. 1.20	1.00	.80
4 to 5 ft		. 1.50	1.25	1.00
t festimists 50'	Pvra	midal Europe	ean Wh	ite Birch
*— — fastigiata, 50' 8 to 10 ft	-		7.00	5.00
8 to 10 It				
*— — laciniata (pen. laciniata), 30	'-40'			ng Birch
Deeply cut leaves. Silvery white	e bark.	Drooping br	anches.	
10 to 12 ft			5.00	4.00
12 to 14 ft		8.50	7.00	
*— lenta, 40'-50'			Swe	eet Birch
Has attractive smooth, reddis	h hark	and conspi		
	. vain	, and compri	0	
spring. 5 to 6 ft		1.65	1.35	
5 to 6 It		2.10	1.75	
			marc 124	
Additional charge for multiple	stems	according to	quanty	•

BETULA lutea, 50'-70'		Yellov	v Birch
Attains large size. Very attractive fraye with orange shades where it peels.	d bark, s	ilvery outs	ide but
5 to 6 ft	1.90	1.50	1.25
6 to 8 ft	2.60	2.20	1.75
*— papyrifera, 40'	Pap	er or Cano	e Birch
10 to 12 ft	6.75	5.50	
12 to 14 ft	9.00	7.50	
*— populifolia, 30'-40'		Gray	Birch
Thrives in poor or sandy soil. White baplanting.	ırk. Desir	able in ma	ass
4 to 5 ft	1.25	1.05	.85
5 to 6 ft	1.50	1.25	1.00
6 to 8 ft	2.75	2.20	1.75
10 to 12 ft., 1½ to 1¾ in	4.65	$\frac{4.05}{5}$	3.25
12 to 14 ft., 1 ¾ to 2 in	6.25	5.50	4.50
BIGNONIA grandiflora, 25'-40' (Campsis grandiflora, 25'-40' (Campsis grandiflora)			creeper
1 year	.60	.50	.40
2 year	.85	.70	.55
— — Mme. Gallen, 25'-40' (Campsis Mme. 6			creeper
A beautiful hybrid with dark orange ve			4.0
1 yr., 18 to 24 in	.60	.50	.40
2 yr., 2 to 3 ft	.75	.60 $.80$	$\begin{array}{c} .50 \\ .65 \end{array}$
3 yr., 3 to 4 ft	1.00	.80	60.
BIOTA—(See THUJA ORIENTALIS)			
BIRCH (See BETULA)			
BITTERSWEET (See CELASTRUS)			
BOX (See BUXUS)			
BUDDLEIA Summer	r Floweri	ng Butterf	ly Bush
— Concord, 4'. Blue. 12-18"; 18-24"; 2-3'			
- Fascination, 4'. Orchid Pink. 18-24"; 2-3'			
— Orchid Beauty, 4'. Orchid. 18-24"; 2-3'			
— Pink Charming, 4'-6'. Long panicles of pin 2-3'	nk flowers	s. 12-18";	18-24";
— Princeton White, 4'. 12-18"; 2-3'			
Above varieties at following prices:			
12 to 18 in	.37	.30	.25
18 to 24 in	.45	.37	.30
2 to 3 ft	. 5 5	.45	.35

BRIDALWREATH (See SPIREA PRUNIFOLIA)

BUCKTHORN (See RHAMNUS)

BUTTERFLY BUSH (See BUDDLEIA)

*EXTRA CHARGE FOR DIGGING BIRCHES B&B SEE B&B SCHEDULE PAGE 2-3

	1-9	10-49	50 -24 9
BUXUS sempervirens, 12'-15'		Comme	on Box
Evergreen. Rapid growth. Useful for fo	ormal h	edges.	
6 to 8 in., B.R	.70	.55	.45
8 to 10 in, B.R	.90	.75	.60
10 to 12 in., B.R	1.30	1.10	.90
10 to 12 in., B&B	1.90	1.50	1.25
CALYCANTHUS floridus, 4'-5'			Shrub
An old garden favorite, with fragrant, da	ırk redd	lish-brown f	lowers.
12 to 18 in	.45	.37	.30
18 to 24 in	.60	.50	.40
CAMPSIS (See BIGNONIA)			
CARPINUS betulus fastigiata, 30' Pyra			rnbeam
A very handsome, slow growing, pyrami	idal tre	э.	
3 to 4 ft., B&B	4.65	4.00	
4 to 5 ft., B&B	6.00	5.00	* * * * * * * *
— caroliniana, 30'-40'	\mathbf{A}	merican Ho	rnbeam
Bluish-green foliage. Low, bushy. Exce well in shade.	llent fa	ll coloring.	Grows
2 to 3 ft., B.R	1.90	1.50	
5 to 6 ft., B.R	5.25	4.40	
6 to 8 ft., B.R	6.75	5.50	
— japonica, 40'		apanese Ho	
Very graceful species. Leaves reddish-bro			
18 to 24 in	$\begin{array}{c} 1.50 \\ 1.90 \end{array}$	$egin{array}{c} 1.25 \ 1.50 \end{array}$	$egin{array}{c} 1.00 \ 1.25 \end{array}$
CASTANEA crenata, 20'-30'	1.50	Japanese C	
Blight resistant. Large, sweet nuts more	e than (-	
Upright habit. Early bearing.			
5 to 6 ft	2.25	$\frac{1.90}{2.5}$	1.50
6 to 8 ft	$2.85 \\ 3.75$	$egin{smallmatrix} 2.35 \ 3.00 \end{smallmatrix}$	$egin{smallmatrix} 1.90 \ 2.50 \end{smallmatrix}$
8 to 10 ft	5.79		
— mollissima, 40'-60'		Chinese C	
Blight resistant. Large, sweet nuts. Thi should be planted in a well drained loc		bearing var	iety
4 to 5 ft	1.90	1.50	1.25
5 to 6 ft	2.25	1.90	1.50
6 to 8 ft	2.85	2.35	
8 to 10 ft	3.75	3.00	2.50
CATALPA speciosa, 30'-35' Heart shaped leaves. Long bean-like se	ed pods	Western	Catalpa
4 to 6 ft	1.10	.95	
6 to 8 ft.	1.50	1.25	
8 to 10 ft	2.25	1.90	
CELASTRUS orbiculatus, 15'-20' Rapid growing, high climbing shrubby to expose red seeds in fall.		Oriental Bit range fruit	
18 to 24 in., 1 year	.37	.30	.25

	10	10-10	00-210
CELTIS occidentalis, 50'-60'		Ha	ckberry
Resembles a slow growing elm. Comp	aget in hoh		
soil.	pact in hab	it. Illiive:	s in dry
2011	1 50	4 0 5	4 0 0
4 to 5 ft		1.25	1.00
5 to 6 ft		1.75	1.40
6 to 8 ft		2.20	1.75
8 to 10 ft	3.40	2.80	2.25
9 to 11 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in	4.50	3.75	
CEPHALANTHUS occidentalis, 5'-6'		But	tonbush
Fragrant, creamy white flowers borne September. Good foliage. Likes moist		neads July	-
18 to 24 in	45	.37	.30
2 to 3 ft		.50	.40
3 to 4 ft		.60	.50
•			
CERCIDIPHYLLUM japonicum, 20'-30'		Katsu	ra Tree
Excellent symmetrical tree. Beautiful	spring an	d autumn	foliage
colors.			
2 to 3 ft., B&B		2.50	2.00
3 to 4 ft., B&B		3.50	2.75
4 to 5 ft., B&B	5.25	4.40	3.50
CONTROLL I I ANIAMI		A	Dadhad
CERCIS canadensis, 12'-15'		American	Reabua
Rosy pink flowers in April. Also called	l Judas Tre	e.	
2 to 3 ft	75	.60	.50
3 to 4 ft	1.20	1.00	.80
4 to 5 ft	1.90	1.50	1.25
5 to 6 ft	2.60	2.20	1.75
6 to 8 ft	3.00	2.50	2.00
— chinensis, 1'-12'		Chinese	Redbud
Deeper pink than canadensis. Compact	growing.		
18 to 24 in		.60	.50
		.95	.75
2 to 3 ft		$\frac{.55}{1.50}$	1.25
3 to 4 ft		$\frac{1.30}{1.90}$	1.20
4 to 5 ft	2.20	1.30	
CHAENOMELES lagenaria (See CYDONIA))		
CHAMAECYPARIS—THE RE	ETINOSPOI	RAS	
CHAMAECYPARIS pisifera, 25'-35'	Sa	wara Retii	ospora
Fast growing evergreen. Loosely pyran	nidal.		
15 to 18 in., B&B		1.35	1.10
18 to 24 in., B&B	2.25	1.90	1.50
2 to 2½ ft., B&B	3.00	$\frac{1.50}{2.50}$	$\frac{1.00}{2.00}$
2 ½ to 3 ft., B&B	3.75	3.00	2.50
3 to 4 ft., B&B	4.50	3.75	3.00
4 to 5 ft., B&B	5.60	4.75	3.75
T 10 0 10., D&D	0.00		
— — aurea, 25'-35'	Golden Sa	wara Retir	ospora
Same growth as pisifera. Foliage brigh	t yellow.		
15 to 18 in., B&B	1.65	1.35	1.10
3 to 4 ft., B&B	4.50	3.75	3.00
4 to 5 ft., B&B	5.60	4.75	3.75
_ 00 0 -01, — 00 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0			



CHAMAECYPARIS plumosa—Plume Retinospora. Our Retinosporas are well sheared and are an outstanding value.

	1-9	10-49	5 3 -249
CHAMAECYPARIS pisifera filifera, 15'-20'	Т	hread Ret	inospora
Long, stringy, drooping, rich green foliag	e. Verv	hardy.	
12 to 15 in., B&B	1.30	1.10	
15 to 18 in., B&B	1.65		
— plumosa, 25'-35'	I	Plume Ret	inospora
Evergreen. Dense, fine texture. Shears we	ell. Brig	ht green.	
15 to 18 in., B&B	1.60	1.35	1.10
18 to 24 in., B&B	2.25	1.90	1.50
3 to 4 ft., B&B		3.75	
4 to 5 ft., B&B	5.60	4.75	
— — aurea, 20'-25'	(Golden Ret	inospora
Foliage golden yellow. Similar in habit	to plum	osa.	
12 to 15 in., B&B	1.65	1.35	1.10
15 to 18 in., B&B	2.10	1.75	1.40
18 to 24 in., B&B	2.90	2.40	1.95
squarrosa veitchi, 25'-30'		Moss Re	tinospora
Foliage blue gray, feathery and dense.			
12 to 15 in., B&B	1.50	1.25	1.00
15 to 18 in., B&B	1.90	1.50	
18 to 24 in., B&B	2.25	1.90	
— thyoides, 15'-30'	Son	ithern Wh	ite Cedar
Of all the conifers the most tolerant of v			
growth. Densely columnar habit.			
2 to 3 ft	2.40	2.00	
3 to 3½ ft	3.75	3.00	

CHERRY, FLOWERING (See PRUNUS)			
CHESTNUT (See CASTANEA)			
CHIONANTHUS virginicus, 15'-18' Abundant tassel-like white flowers May-	Lune Di	White Fri	_
12 to 18 in.	June. Br	ue-black fri .70	.55
18 to 24 in.	1.05	.90	.70
2 to 3 ft	1.30	1.10	.90
3 to 4 ft	1.65	1.35	1.10
CHRISTMASBERRY (See PHOTINIA)			
CITRUS trifoliata An ornamental variety with sharp spines hedge. Should be planted in protected 1	. Sometin ocation.	ee Leaved nes used as	Orange formal
12 to 15 in., B&B	1.90	1.50	1.25
15 to 18 in., B&B	2.25	$egin{smallmatrix} 1.90 \ 2.50 \end{smallmatrix}$	$\frac{1.50}{2.00}$
CLEMATIS paniculata, 20'-25' White fragrant flowers. September. Wo		Autumn C	
vine.	ory seed	pous. An e	cenent
1 year	.45	.37	.30
2 year	.60	.50	.40
CLETHRA alnifolia, '4-5'		Summe	ersweet
Spikes of richly fragrant flowers, Julyplace.	-		•
12 to 18 in	.52	.45	.35
18 to 24 in	$\begin{array}{c} .70 \\ .90 \end{array}$	$.55 \\ .75$	$\begin{smallmatrix} .45\\ .60 \end{smallmatrix}$
COFFEETREE—(See GYMNOCLADUS)			
COLUTEA arborescens, 8'-10'	Comm	on Bladde	r-Senna
Yellow flowers June-August. Does well	in dry p	laces.	
2 to 3 ft	.75	.60	.50
3 to 4 ft	.90	.75	.60
4 to 5 ft	1.10	.95	.75
CORKTREE (See PHELLODENDRON)			
CORNUS alba (sibirica), 8'-10'		Branched D	_
Bright red bark. Porcelain blue fruits. (winter effects. Very adaptable.			
18 to 24 in.	$\begin{array}{c} .37 \\ .60 \end{array}$.30 $.50$	$\begin{array}{c} .25 \\ .40 \end{array}$
2 to 3 ft	.85	.70	.55
4 to 5 ft	1.05	.90	.70
- amomum (sericea), 10'		Silky D	ogwood
Pale blue fruits. Young twigs purple. P		oist locatio	
18 to 24 in		.30	.25
2 to 3 ft	.60 $.85$	$.50 \\ .70$	$.40 \\ .55$
3 to 4 ft	1.05	.90	.70
1 00 0 10			

	1-9	Price in Qua 10-49	50-249
CORNUS elegantissima variegated, 6'-8'		erblotch D	
Leaves are edged with creamy white. Ve Excellent to pot for retail sales.	ry striki	ing and att	ractive.
12 to 18 in	.60	.50	.40
18 to 24 in	.70	.55	.45
— florida, 15'-25'		lowering D	
White flowers. A most popular spring floberries.	owering	small tree	. Red
18 to 24 in., B.R	1.00	.80	.65
2 to 3 ft., B.R	$\boldsymbol{1.25}$	$\boldsymbol{1.05}$.85
3 to 4 ft., B.R	$\boldsymbol{2.25}$	1.90	1.50
4 to 5 ft., B.R	3.40	2.80	
5 to 6 ft., B&B	8.50	7.00	
— — rubra, 15'-20'	Redf	lowering D	ogwood
Beautiful bright red flowers in spring.	Verv str	iking.	
Beautiful bright red howers in spring.	2.25	1.90	1.50
18 to 24 in., B.R	$\frac{2.25}{3.00}$	2.50	2.00
2 to 3 ft., B.R	5.25	4.40	3.50
5 to 4 It., D.H.		Cornelian	Chorry
— mas, 20'-25'	a		-
Handsome, large shrub. Small yellow scarlet fruits in fall.			
18 to 24 in	.85	.70	.55
2 to 3 ft	1.05	.90	.70
3 to 4 ft	1.30	$\frac{1.10}{1.35}$	$\frac{.90}{1.10}$
4 to 5 ft	1.65	1.59	1.10
— paniculata (racemosa) 10'-12'	on nod		ogwood
Small white flowers. May. White fruits			2 5
18 to 24 in	.55	$.45 \\ .55$	$.35 \\ .45$
2 to 3 ft	.70		
— sanguinea, 8'-10'		loodtwig I	
Dark red branches. Good foliage. Does	well in o	lamp locat	ions.
2 to 3 ft	.60	.50	.40
3 to 4 ft	.75	.60	.50
4 to 5 ft	1.00	.80	.60
— stolonifera, 7'-8'		Red-Osier I	_
Spreading. Dark red bark. White fruits. locations.	Does w	ell in dam	p
18 to 24 in	.37	.30	.25
2 to 3 ft	.60	.50	.40
3 to 4 ft	.75	.60	.50
4 to 5 ft	.90	.75	.60
5 to 6 ft	1.10	.95	.75
COTONEASTER acutifolia, 10'-12'			
Small pink flowers in clusters. Black frui	it.		
18 to 24 in., B&B	2.25	1.90	1.50
2 to 3 ft., B&B	3.00	2.50	2.00
3 to 4 ft., B&B	4.50	3.75	3.00

		Price in Qu	
	1-9	10-49	50-249
COTONEASTER dielsiana, 4'-5'		Diels Coto	oneaster
Upright growth.			
12 to 15 in., 6 in. pots	1.50	1.25	1.00
15 to 18 in., 6 in. pots	1.90	1.50	1.25
— divaricata, 5'-6'	Spr	eading Coto	neaster
Handsome shrub bearing glossy leaves a			
15 to 18 in., B&B	1.90	1.50	1.25
18 to 24 in., B&B	2.25	1.90	1.50
2 to 2½ ft., B&B	3.00	2.50	2.00
— franchetii, 5'-6'	Fr	anchet Coto	neaster
Evergreen, upright, orange berries.			
9 to 12 in., 6" cans	1.10	.95	.75
12 to 15 in., 6" cans	1.50	1.25	1.00
To 12 and 12 (1 112) of 01			
— horizontalis (davidiana), 2'-3'	173	Rock Coto	
Spreading. Foliage boxlike. Red berries			
6 to 9 in., pots	1.10	.95	.75
9 to 12 in., pots	1.50	1.25	1.00
12 to 15 in., 6" cans	1.90	1.50	1.25
15 to 18 in., 6" cans	2.25	1.90	1.50
— — perpusilla, 2'-3'			
Similar to horizontalis but has smaller lea	ves an	d larger fru	ıit.
9 to 12 in., 6" pot	1.50	1.25	1.00
— microphylla, 2'-3'		Ro	ekspray
Evergreen. Small dark green leaves. More	bushv		
15 to 18 in., 6" pots		1.90	
— rotundifolia, (buxifolia), 1½-2'		ndleaf Coto	neaster
Evergreen. Round leaves. Postrate. Red			
15 to 18 in., 6" cans	1.90	1.50	1.25
18 to 24 in., 6" cans	2.25	1.90	1.50
— salicifolia, 4'-5'	Will	owleaf coto	neaster
Partly evergreen. Spreading. Red berrie			
Cotoneaster.	J	0 1111000 1411	80
9 to 12 in., 6" pot	1.10	.95	.75
12 to 15 in., 6" pot	1.50	1.25	1.00
15 to 18 in., 6" pot	1.90	1.50	1.25
——— floccosa, 5'-6'			
Evergreen, tall arching growth. The m	ost be	autiful of	all the
Cotoneaster in fruit. 9 to 12 in., 6" pots	1.10	.95	.75
12 to 15 in., 6" pots	1.50	$\frac{.95}{1.25}$	1.00
12 to 10 m., 0 pots	4.00	i iii U	2.00



CRATAEGUS crusgalli—Cockspur Hawthorn. The best crataegus. For hedges or thorny barrier; glossy foliage.

	1-9	10-49	50-249
CRATAEGUS coccinea, 15'-20'		Thicket Ha	
Shrubby habit with long curved spines Large white flowers and large red fruit	s and o	val shaped tumn.	leaves.
4 to 5 ft. BR.	4.50	3.75	3.00
5 to 6 ft., B&B		9.50	
— cordata (phaenopyrum), 12'-15'	Wa	shington Ha	wthorn
Colorful in fall. Makes an excellent hed	ge.		
2 to 3 ft., B.R	1.90	1.50	1.25
3 to 4 ft., B.R	3.00	2.50	2.00
4 to 5 ft., B.R	4.50	3.75	3.00
5 to 6 ft., B&B	11.20	9.50	7.50
6 to 8 ft., B&B	14.50	11.70	9.50
— crusgalli, 15'		Cockspu	r Thorn
Deep green shiny leaves make this Ha flowers are conspicuous.	awthorn	n distinctive	. White
18 to 24 in	1.50	1.25	1.00
2 to 3 ft	2.25	1.90	1.50
— mollis, 15'		Downy H	awthorn
Strong grower. Large leaves. Red fruit			
2 to 3 ft., B.R	2.25	1.90	
3 to 4 ft., B.R	3.00	2.50	2.00
4 to 5 ft., B&B	7.50	6.00	5.00
5 to 6 ft., B&B	11.20	9.50	7.50

	Unit 1-9	Price in Qu 10-49	antities 50-249			
CRATAEGUS oxycantha, 12'-15'		Englis	h Thorn			
Single white flowers.						
2 to 3 ft., B.R.	2.25	1.90	1.50			
3 to 4 ft., B.R	3.00	2.50	2.00			
4 to 5 ft., B.R	4.50	3.75	3.00			
5 to 6 ft., B&B	11.20	9.50	7.50			
6 to 8 ft., B&B	14.30	11.70				
— pauli, 12'-15'	Paul's	s Scarlet H	awthorn			
Double scarlet flowers.						
3 to 4 ft., branched	2.40	2.00				
4 to 5 ft., branched	3.00	2.50				
5 to 6 ft., branched	$\frac{4.50}{6.00}$	3.75 5.00				
o to o it., branched	0.00	5.00				
— punctata, 25'-30'		Dotted Ha				
Broad headed small tree. Large white spotted fruit in October.	flowers	in May. I	oull red			
2 to 3 ft	2.25	1.90				
3 to 4 ft	3.00	2.50				
— pyracantha lalandi (See PYRACANTHA)						
CYDONIA japonica (chaenomeles lagenaria),	4'-5'	Flowering	Quince			
Scarlet flowers, April, May. Spicy fruits		ne jelly.				
12 to 18 in	.30	.25	.20			
18 to 24 in	.55	.45	.35			
2 to 3 ft	.70	.55	.45			
— HYBRIDS, 4'-5' Boule de feu, double red, 12-18"; 18-24 Cardinalis, red flowering, 12-18"; 18-24"	'; 2-3'					
Nivalis, white flowering, 12-18"; 18-24 Superba atrosanguinea, redflowering, 12 Vermilion, clear vermilion-red flowers, 1	"; 2-3' 2 -1 8"; 18	8-24"; 2-3' 2-3'				
12 to 18 in	.60	.50	.40			
18 to 24 in	.90	.75	.60			
2 to 3 ft	1.20	1.00	.80			
CYPRESS (See CHAMAECYPARIS)						
DEUTZIA gracilis, 3'		Slender	Deutzia			
Heavily laden with snow white flowe shrub.	rs in N	[ay. Usefu]	facing			
9 to 12 in	.45	.37	.30			
— — rosea, 3'	Re	ose panicle	Deutzia			
Similar in growth to above but with pin			4.0			
12 to 15 in	$\begin{array}{c} .60 \\ .85 \end{array}$	$\begin{array}{c} .50 \\ .70 \end{array}$	$.40 \\ .55$			
15 to 18 in	$\frac{.85}{1.05}$.90	.70			
18 to 24 in 2 to 2½ ft	1.36	1.10	.90			
= 00 = 72 =						

	Unit P 1-9	rice in Qu 10-49	
DEUTZIA lemoinei, 4'-5'		Lemoine	Deutzia
Large flowering, white. June.			
12 to 18 in	.45	.37	.30
18 to 24 in	.60	.50	.40
2 to 2½ ft	.75	.60	.50
2 ½ to 3 ft	.90	.75	.60
— scabra Pride of Rochester, 9'-10'		Flowered	Deutzia
Pink changing to white. June. Fast grow			0.0
18 to 24 in	.50	.40	.30
2 to 3 ft	.60	.50	.40
3 to 4 ft	.75	.60	.50
DIERVILLA sessilifolia (lutea), 4'-5' So	uthern	Bush Hone	eysuckle
Yellow flowers June-July. Vigorous ground age. Excellent for contrast.			
18 to 24 in	.55	.45	.35 $.45$
2 to 3 ft	.70	.55	.40
DOGWOOD (See CORNUS)			
		D.,	inn Olivo
ELAEAGNUS angustifolia, 15'-18'			ian Olive
Silvery leaves and branchlets. Orange be conditions.	erries. S	Stands unf	avorable
2 to 3 ft	.70	.55	.45
3 to 4 ft	.85	.70	.55
4 to 5 ft	1.05	.90	.70
— longipes (multiflora) 6'-8'		Cherry E	_
Silvery leaves. Yellow flowers, fragrant ripening in July.	t. May.	Large red	d berries
12 to 18 in	.75	.60	.50
18 to 24 in	.90	.75	.60
2 to 3 ft	1.25	1.05	.85
3 to 4 ft	1.50	1.25	1.00
— umbellata, 8'-10'		Autumn E	_
Powdery green leaves. Clusters of ambe			
18 to 24 in	.55	.45	.35
2 to 3 ft	.70	.55	.45
3 to 4 ft	1.00	.80	.65
4 to 5 ft	$\frac{1.20}{1.50}$	$\frac{1.00}{1.05}$.80
5 to 6 ft	1.50	$\frac{1.25}{1.50}$	1.00
6 to 8 ft	1.90	1.50	1.25
ELM (See ULMUS)			
ENGLISH IVY (See HEDERA)			_
EUONYMUS alatus, 9'-10'		_	Euonymus
Has corky bark. Bright crimson autum	n colori	ng.	
12 to 18 in	.90	.75	.60
18 to 24 in	1.10	.95	.75
2 to 3 ft	1.65	1.35	1.10
9.4			

	1-9	10-49	
EUONYMUS alatus compactus, 4'-5'	Dwarf '	Winger Eu	onymus
Dwarf form of alatus. Compact. Excelle coloring.			
12 to 15 in	.85	.70	.55
15 to 18 in	1.10	.95	.75
18 to 24 in	1.50	1.25	1.00
2 to 2 ½ ft	2.10	1.75	1.40
2 ½ to 3 ft	2.50	2.05	1.65
— europaeus, 12'-14' Pink fruits on long stalks, persisting a	_	ean Burni	ng Bush
2 to 3 ft.			4 5
3 to 4 ft.	$\begin{array}{c} .70 \\ .90 \end{array}$.55 $.75$	$.45 \\ .60$
4 to 5 ft	1.10	.95	.75
5 to 6 ft	1.30	1.10	.90
6 to 8 ft	1.65	1.35	1.10
— fortunei carrieri, 3'		ssy Winter	rcreeper
Evergreen. Large shiny pointed leaves.			
9 to 12 in	.90	.75	
12 to 15 in	1.20	1.00	
— patens (sieboldianus), 6'-8'	-	ading Euc	•
Evergreen. Very vigorous. Forming broadernamental fruits.	ad, rathe	r loose shr	ub. Has
12 to 15 in., B&B	1.50	1.25	1.00
15 to 18 in., B&B	2.25	1.90	1.50
18 to 24 in., B&B	3.00	2.50	2.00
— radicans, 3'-4'			rcreeper
Evergreen. Self clinging vine. Good for useful for under planting among everg		g low wal	lls; also
6 to 9 in., 1 year		.40	.30
9 to 12 in., 2 year	.60	.50	.40
12 to 15 in., 2 year		.60	.50
——— colorata, 3'	Purplelea	ved Winter	rcreeper
Evergreen. Foliage narrow, long and tin winter color.	nged with	n purple. E	xcellent
9 to 12 in., 1 year	.30	.25	.20
12 to 15 in., 2 year	.45	.37	.30
15 to 18 in., 2 year	.60	.50	.40
18 to 24 in., 3 year	.70	.55	.45
—— erecta, 3' Erect type of Euonymus radicans.	Er	ect Winter	rcreeper
9 to 12 in	.60	.50	.40
12 to 15 in.	.75	.60	.50
15 to 18 in.	.90	.75	.60
— vegetus, 4'	Bigl	eaf Winter	rcreeper
Evergreen. Bushy. Leaves round, dull gr	een. Scar	let fruit. E	xcellent
among evergreens. Makes good formal	hedge or	border.	
6 to 9 in., 2 year	.70	.55	.45
9 to 12 in., 2 year	.90	.75	.60
12 to 15 in., 3 year	1.20 1.50	$egin{smallmatrix} 1.00 \ 1.25 \end{smallmatrix}$	1.00
15 to 18 in., 3 year	1.00	1,40	1.00



FORSYTHIA spectabilis—Showy Border Forsythia. Plenty of branches. We grow good flowering shrubs.

Unit Price in Quantities 1-9 10-49 50-249 EUONYMUS yedoensis, 40' Tall upright shrub. Attractive fall coloring. Pink fruit. 2 to 3 ft				
EUONYMUS yedoensis, 40' Tall upright shrub. Attractive fall coloring. Pink fruit. 2 to 3 ft		_		
Tall upright shrub. Attractive fall coloring. Pink fruit. 2 to 3 ft			20 20	
2 to 3 ft				Monymas
2 to 3 ft	Tall upright shrub. Attractive fall color:	ing. Pink	fruit.	
3 to 4 ft		.55	.45	
4 to 5 ft		.70	.55	.45
FALSE SPIREA (See SORBARIA) FIR DOUGLAS (See PSEUDOTSUGA) FIRETHORN (See PYRACANTHA) FLEECEVINE (See POLYGONUM) FLOWERING CHERRIES (See PRUNUS) FLOWERING CRAB (See MALUS) FLOWERING QUINCE (See CYDONIA)		.90	.75	.60
FIR DOUGLAS (See PSEUDOTSUGA) FIRETHORN (See PYRACANTHA) FLEECEVINE (See POLYGONUM) FLOWERING CHERRIES (See PRUNUS) FLOWERING CRAB (See MALUS) FLOWERING QUINCE (See CYDONIA)	-€{ F }\$			
FIRETHORN (See PYRACANTHA) FLEECEVINE (See POLYGONUM) FLOWERING CHERRIES (See PRUNUS) FLOWERING CRAB (See MALUS) FLOWERING QUINCE (See CYDONIA)	FALSE SPIREA (See SORBARIA)			
FLEECEVINE (See POLYGONUM) FLOWERING CHERRIES (See PRUNUS) FLOWERING CRAB (See MALUS) FLOWERING QUINCE (See CYDONIA)	FIR DOUGLAS (See PSEUDOTSUGA)			
FLOWERING CHERRIES (See PRUNUS) FLOWERING CRAB (See MALUS) FLOWERING QUINCE (See CYDONIA)	FIRETHORN (See PYRACANTHA)			
FLOWERING CRAB (See MALUS) FLOWERING QUINCE (See CYDONIA)	FLEECEVINE (See POLYGONUM)			
FLOWERING QUINCE (See CYDONIA)	FLOWERING CHERRIES (See PRUNUS)			
	FLOWERING CRAB (See MALUS)			
EODSVIIIA intermedia spectabilis 6'-8' Showy Border Forsythia	FLOWERING QUINCE (See CYDONIA)			
FORST THIM Intermedial spectations, o	FORSYTHIA intermedia spectabilis, 6'-8'	Showy	Border	Forsythia
Most profuse of all. Rich golden yellow.	Most profuse of all. Rich golden yellow.			
		.45	.37	.30
		.60	.50	.40
	9 **	1.00	.80	.65

FORSYTHIA ovata, 6'-8'		Korean	Forsythia
,	o Mha h		•
An introduction from Northern Kore			
sythias. Flowers pale primrose-yellow	, produce	a later ti	ian otner
varieties.			
18 to 24 in		.50	
2 to 3 ft	75	.60	
3 to 4 ft		.75	
		~ .	
	New Sprin	ng Glory .	F'orsythia
Pale yellow flowers in profusion.			
2 to 3 ft	75	.60	.50
3 to 4 ft		.75	.60
4 to 5 ft		.90	.75
5 to 6 ft		1.10	.90
— suspensa, 4'-6'		Weeping	Forsythia
Bright yellow. Drooping. Excellent or	n banks.		
12 to 18 in		.30	
			9.5
18 to 24 in	55	.45	.35
— — fortunei, 7'-8'		Fortune	Forsythia
•	~	I or tane	r or sy three
Bright yellow. Strong grower. Archin			
18 to 24 in.		.45	.35
2 to 3 ft,		.55	.45
3 to 4 ft		.70	.55
4 to 5 ft		.90	.70
5 to 6 ft	. 1.25	1.05	.85
vinidiccima (4) (4)	C.	noonatom.	Elomousth is
— viridissima, 6'-8'		reenstem	
Very vigorous. Green bark. Heavy bloom.	dark gree	n foliage.	. Last to
12 to 18 in	37	.30	.25
18 to 24 in		.45	.35
2 to 3 ft		.55	.45
			*=3
FRAXINUS americana, 70'-80'		V	Thite Ash
Medium grower. Good fall coloring. A	t home in	moist loc	eations.
5 to 6 ft	1.90	1.50	1.25
6 to 8 ft		2.20	1.75
8 to 10 ft., 1 to 1 1/4 in		3.00	2.50
10 to 12 ft., 1½ to 1¾ in		6.00	2.50
10 10 12 10, 1 /2 10 1 /4 1		0.00	
— lanceolata, 50'-60'		C	reen Ash
Rapid straight growth. Has dark gree locations.	en foliage	and thriv	es in dry
5 to 6 ft	1.90	1.50	1.25
		$\frac{1.30}{2.20}$	
6 to 8 ft 8 to 10 ft., 1 to 1¼ in		$\frac{2.20}{3.00}$	$egin{array}{c} 1.75 \ 2.50 \end{array}$
		$\frac{3.00}{4.40}$	4.50
8 to 10 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in	9.49	4.40	
, ,			
GENISTA tinctoria, 3'		W	oadwaxen
Slender bright green branches. Yellov	w pea-shar	ed flower	S.
		.55	
4 0.			
3 to 4 ft	00	.70	



Our new Gleditsia Inermis SOLD OUT FOR SPRING '56 Booking orders now for Fall '56 and Spring '57

THORNLESS HONEYLOCUST

For a number of years we have been striving to produce a Thornless Honey-locust with the outstanding characteristics which are so evident in this picture (photographed August 27, 1955).

Our long effort has resulted in the development of what we consider the FINEST THORNLESS HONEYLOCUST AVAILABLE.

OUTSTANDING CHARACTERISTICS ARE:

- 1. Straight strong trunks
- 2. Ascending branches
- 3. Rapid growth
- 4. Requires no staking
- 5. Deep roots
- 6. Drought resistance
- 7. Does not heave sidewalks
- 8. Grass will grow right up to trunk
- 9. Transplants easily 10. Heavy dark green foliage
- 11. Holds foliage late in season
- 12. Freedom from diseases and insect pests
- 13. No leaf raking in the fall
- 14. Forms unbelievably symmettrical tops-A radical departure from other honeylocusts.

This is the street, lawn and park "TREE OF TOMORROW."

Fall sales were so heavy on this excellent new tree that we will have none to offer this spring. We have a nice lot in production and are now booking orders for fall 1956 and spring 1957.

RESERVE YOUR REQUIREMENTS NOW

	1-9	10-49	50 - 249
6 to 8 ft	3.75	3.00	2.50
8 to 10 ft.	5.25	4.40	3.50
8 to 10 ft., 1 1/4 to 1 1/2 in	7.50	6.00	5.00
10 to 12 ft., 1½ to 1¾ in	10.50	8.80	7.50

GLEDITSIA Moraine (Plant Patent No. 836)

Moraine Locust

This variety of Honeylocust is a patented variety covered by United States Plant Patent No. 836. The name "Moraine" is Trade Marked in the United States and Canada, and is being handled under license from the Patent and Trade Mark Owner.

8 to 9 ft., whips

5.25

4.40

3.5

- triacanthos, 60'-70'

Common Honeylocust

Thorny tree. White fragrant flowers. May. Good in gravelly locations. Does not shade out lawns. A graceful tree of good growth characteristics and clean bright foliage.

5 to 6 ft	1.65	1.35	1.10
6 to 8 ft	2.25	1.90	1.50
8 to 10 ft., 1 to 1¼ in	3.00	2.50	2.00
8 to 10 ft., 1 ½ to 1 ½ in.	4.50	3.75	3.00
10 to 12 ft., 1½ to 1¾ in	6.75	5.50	4.50

GLEDITSIA TRIA. INERMIS — Thornless Honeylocust — See Page 28

– — inermis aurea, 30′-40′

COLE'S NEW SUNBURST LOCUST (Plant Patent No. 1313)

Bright golden-bronze on tips of branches. Brilliant coloring is limited to 8 to 10 inches of branch tips. Tree is well formed and symmetrical with spreading habit.

6	to	7	ft.,	whips	3.75	3.00	2.50
						3.75	3.00

GOLDENCHAIN (See LABURNUM)

GYMNOCLADUS dioicus, 40'-50'

Kentucky Coffeetree

Light blue green foliage. Slow growing. Picturesque outline.

3 to 4 ft...... 1.30 1.10

---∯ H }∻--

HACKBERRY (See CELTIS)

HALESIA monticola, 40'

Mountain Silverhell

The tree form of the Silver Bell. Ideal as a small lawn or foundation specimen.

2	to	3	ft	1.10	.95	.75
3	to	4	ft	1.45	1.20	.95
			ft	1.90	1.50	1.25
			ft	2.25	1.90	

- tetraptera (carolina), 12'-15'

Great Silverbell

White bell-shaped flowers in May. Profusely borne along the branchlets.

2	to	3	ft	.75	6.0	.50
			ft	1.05	.90	.70
			ft	1.45	1.20	.95
5	to	6	ft	1.90	1.50	1.25
6	to	8	ft.	2.25	1.90	

Unit P	rice in Qu	uantities
1-9	10-49	50-249
Japa	nese Wit	ch Hazel

HAMAMELIS japonica, 20'-30'	Jap	anese Witch	Hazel
Interesting Japanese form. Blossoms in	late wir	iter. Lemon-	yellow
flowers, often purplish inside.			
18 to 24 in	.85	$.70 \\ .90$.55 $.70$
9 to 3 ft	1.05	1.10	
3 to 4 ft	1.30		
— vernalis, 8'	,	Vernal Witch	n-hazel
Clear yellow flowers, Jan. and Feb.;	spicy	fragrance —	- when
nothing else is in bloom.			
18 to 24 in	.85	.70	.55 $.70$
2 to 3 ft	1.05	.90	
— virginiana, 10'-12'		mmon Witch	
Yellow ribbon-like flowers in late fall.	Good i	n moist, sha	ady lo-
cations.			
18 to 24 in	.55	.45	.35
2 to 3 ft	.85	.70	.55
3 to 4 ft	1.05	.90	.70
HAWTHORN (See CRATAEGUS)			
HAZLENUT (See Corylus)			
			ish Ivy
Evergreen. Good ground cover for shad	ly locat	ions. An ide	al wall
cover. Clinging.	•		
12 to 15 in., $2\frac{1}{4}$ in. pots	.22	.20	.15
15 to 18 in., 3 in. pots	.37	.30	.25
18 to 24 in., 4 in. pots	.55	,45	.35
— — baltica, 20'-50'		Hardy Eng	lish Ivy
A very hardy strain of Hedera helix.			
2 ¼ in. pots	.30	.25	.20
		Big Engl	lish Ivv
— — colchica, 20'-50'	son for		
The outstanding evergreen ground cov	er lui	large shady	ur casi
Huge leaves up to six inches across.	.30	.25	.20
15 to 18 in., 2 1/4 in. pots	.00	,	
HEMLOCK (See TSUGA)			
TAIDIGGUE arriague (Althea), 10'-12'			-Althea
Rather formal in outline, flowering in A	August a	and Septemb	er. Also
called Rose of Sharon.			
1 11- maga wiolot 19-18"			40.04"
a . t. do Hoimont double bink. Wil	ite mot	tled. 12-18";	18-24"
Purpureus semiplenus, semi-double i	ourple.	1.2-18"	
Darbig single red. 12-18": 18-24"			
Totus alba, single white. 12-18"; 18-2	.37	.30	.25
12 to 18 in	.45	.37	.30
	0		
HONEYLOCUST (See GLEDITSIA)			

HONEYSUCKLE (See LONICERA)

HOLLY (See ILEX)

HYDRANGEA arborescens grandiflora alba, (sterilis)	4'-5'	Snowhill Hy	drangea
Large double white flower panicles in	August.	Rich green	foliage.
12 to 18 in	.45	.37	.30
18 to 24 in	.52	.45	.35
2 to 3 ft	.70	.55	.45
— Otaksa, 2'-3'		Blue Hy	drangea
Blue flowers throughout summer. Sho for best color. Does better with winter			icid soil
6 to 9 in., 1 yr. field grown heavy strong roots	.55	.45	.35
heavy strong roots		.60	.50
12 to 15 in., 2 year field grown	1.10	, 90	.70
— paniculata grandiflora, 8'-0'		Peegee Hy	_
Very showy. Large closely packed pa August. Turn pink later.	nicles o	of white flo	
12 to 18 in	.37	.30	.25
18 to 24 in	$.45 \\ .85$.37 $.70$	$\begin{array}{c} .30 \\ .55 \end{array}$
4 to 5 ft.	1.05	.90	.70
— petiolaris, 30'-50'		Climbing Hy	_
Attractive, rampant-growing vine. Spleadings brick or stone buildings. Clings			gainst
12 to 15 in., 4 in. pots	2.50	2.05	1.65
15 to 18 in., 4 in. pots	$\frac{2.90}{2.90}$	2.40	1.95
18 to 24 in., 4 in. pots	3.40	2.80	2.25
— quercifolia, 3'-4'	C	oak Leaf Hy	drangea
Leaves shaped like an oak leaf. Beaut ceeds in shade. Very desirable.	tiful aut	tumn colorii	ng. Suc-
12 to 18 in	.90	.75	.60
18 to 24 in	1.20	1.00	.75
ILEX crenata, 8'-10'		_	se Holly
Evergreen. Box-like leaves. Deep green			
12 to 15 in., B&B	2.25	$\frac{1.90}{0.2}$	1.50
15 to 18 in., B&B	$\frac{3.00}{4.50}$	$\frac{2.50}{3.75}$	$\frac{2.00}{3.00}$
18 to 24 in., B&B			
— convexa (bullata) 4'-5'		Convex leave	ed Holly
Evergreen. Slow growing. Shiny conver			
9 to 12 in., B&B			
12 to 15 in., B&B 15 to 18 in., B&B	$\frac{3.00}{3.75}$	$egin{array}{c} 2.50 \ 3.00 \end{array}$	$egin{smallmatrix} 2.00 \ 2.50 \end{smallmatrix}$
18 to 24 in., B&B	5.60	4.75	$\frac{2.30}{3.75}$
— microphylla, 6'-8'	Littlel	leaf Japanes	e Holly
Evergreen. Small leaves. Quite hardy.	Littlei	car supanes	o iioiiy
12 to 15 in., B&B	2.25	1.90	1.50
15 to 18 in., B&B	$\frac{2.25}{3.30}$	$\frac{1.30}{2.95}$	$\frac{1.30}{2.20}$
18 to 24 in., B&B	4.90	4.05	



ILEX crenata convexa—Convex Leaved Holly. Sturdy, quality plants.

Unit	Price in	Quantities
1.9	10-49	

ILEX glabra, 5'-6'		In	kberry	
Evergreen. Shiny dark green leaves. berries. Good in shade or sun.	Purplish	in winter.	Black	
12 to 15 in., B&B	$2.10 \\ 2.60 \\ 3.40$	$1.75 \\ 2.20 \\ 2.80$	$1.40 \\ 1.75 \\ 2.25$	
— — compacta, 3'-4'		Compact In	kberry	
Foliage and berries like glabra. Extrem	nely comp	act in habit		
9 to 12 in., B&B	2.60	2.20	1.75	
12 to 15 in., B&B	3.40	2.80	2.25	
— opaca, Female Plants, 45'-50' American Holly				
Evergreen. Does best in moist, partially propagated from selected female plants, berries as plants develop.	shaded l These H	ocation. Ase ollies will a	exually ll have	
12 to 18 in., B&B	2.25	1.90	1.50	
18 to 24 in., B&B	3.00	2.50	2.00	
verticillata (prinos), 6'-8' Winterberry				
Bright red berries in winter. Not ever				
12 to 18 in	.60	.50	.40	
18 to 24 in	$\begin{smallmatrix} .75\\ 1.00\end{smallmatrix}$.60	$.50 \\ .65$	
2 to 3 ft	1.00 1.20	1.00	.00.	
0 to 1t	1.40	1.00	.00	

INKBERRY (See ILEX)

IVY (See AMPELOPSIS or HEDERA)





JUNIPERUS chinensis glauca hetzi—Hetz Blue Juniper. This is a good fast growing Juniper. Our plants are of excellent quality.

Unit Price in Quantities 1-9 10-49 50-249



JAPANESE MAPLE (See ACER palmatum)

JAPANESE QUINCE (See CYDONIA)

JASMINUM nudiflorum, 3'		Winter J	asmine
Yellow. April-May. Needs protection in first to bloom in the spring.	northern	states. One	of the
12 to 18 in	.45	.37	.30
18 to 24 in	.60	.50	.40
JERSEY TEA (See CEANOTHUS)			
JUDAS TREE (See CERCIS)			

JUNIPERUS chinensis glauca hetzi, 5'-7']	Hetz Blue .	Juniper
Fast growing. Blue-green foliage. Mediu	ım sprea	ding habit.	
18 to 24 in., B&B	4.10	3.50	2.75
2 to 2½ ft., B&B	5.25	4.40	3.50
— — japonica, 6'-8'		Japanese .	Juniper
Low grower. Spreading. Dark green. Gro	ows slow	y.	
12 to 15 in., B&B	2.25	1.90	1.50

15 to 18 in., B&B.....

3.00

2.50

2.00

	Unit F 1-9	10 10	50-249
JUNIPERUS chinensis pfitzeriana, 5'-6'		Pfitzer J	
Gray green, feathery appearing. Broad,	bushy ha	bit. Very po	opular.
15 to 18 in., B&B	3.40	2.80	2.25
18 to 24 in., B&B	5.00	4.00	3.25
2 to 2 ½ ft., B&B	6.00	5.00	$\frac{4.00}{5.00}$
2 ½ to 3 ft., B&B	7.50	$\frac{6.00}{7.50}$	5.00
3 to 3 ½ ft., B&B	9.00	7.50	6.00
communis canadensis, 5'-6'		Canadian J	_
Evergreen. Forms a low vase-shaped above, bluish underneath.	bush. L	eaves dark	green
18 to 24 in., B&B	1.75	1.40	1.15
2 to 2 ½ ft., B&B	3.40	2.80	2.25
— — hibernica, 20'-30'		Irish J	uniper
Narrow pyramid. Gray-green foliage.			
12 to 18 in., B&B	1.50	1.25	1.00
18 to 24 in., B&B	1.90	1.50	1.25
2 to 3 ft., B&B	2.60	2.20	1.75
3 to 4 ft., B&B	3,40	2.80	2.25
— — suecica, 20'-30'		Swedish 3	funiper
Quick growing. Narrow, upright form.			
15 to 18 in., B&B	1.50	1.25	1.00
18 to 24 in., B&B	1.90	1.50	1.25
2 to 3 ft., B&B	2.60	2.20	
— excelsa stricta, 10'-12'		oiny Greek	Juniper
Broad based pyramid. Gray-green folia			4 0 7
12 to 15 in., B&B	1.90	1.50	1.25
15 to 18 in., B&B	2.25	$\substack{1.90 \\ 2.50}$	$\substack{1.50 \\ 2.00}$
18 to 24 in., B&B	3.00	2.30	2.00
— squamata procumbens, 1'-2'		ese Garden	Juniper
A good prostrate Juniper with gray-g	reen folia		
12 to 15 in., B&B	2.50	2.05	1.65
15 to 18 in., B&B	3.40	2.80	$\frac{2.25}{3.25}$
18 to 24 in., B&B	4.65	4.05	5,49
KALMIA latifolia, 8'-10'		Mountai	
Evergreen. Pink flowers, June. Glossy	foliage. I	Prefers shad	le.
12 to 15 in., B&B		1.90	1.50
15 to 18 in., B&B		2.50	2.00
KOELREUTERIA paniculata, 25'-30'		Varn	ish tree
Bright yellow flowers in July. A very veree, Also called Goldenraintree.	aluable a	and attractiv	re small
3 to 4 ft	2.50	2.05	1.65
4 to 5 ft		3.00	
5 to 6 ft		4.10	3.30
6 to 8 ft		5.50	
8 to 10 ft.	8.75	7.75	5.75

	Unit P 1-9	rice in Qua	antities 50-249
KOLKWITZIA amabilis, 6'-8'		Pon	utybush
A distinctive pink flowering shrub. Ver	v effectiv		utybusu
18 to 24 in.	.60	.50	.40
2 to 3 ft	.85	.70	.55
3 to 4 ft	1.05	.90	.70
LABURNUM vossi, 18'-20'			
This is a selected hybrid of the above flower clusters.	with la	rger and	showier
4 to 5 ft	3.75	3.00	
5 to 6 ft	$\begin{array}{c} 5.25 \\ 7.50 \end{array}$	$\begin{smallmatrix}4.40\\6.00\end{smallmatrix}$	5.00
LARCH (See LARIX)	1.00	0.00	5.00
LAUREL (See KALMIA)			
LEUCOTHOE axillaris, 3'-4'		Coast Le	reath on
Similar to catesbaei being more compactable where the space is limited.	et in habi		
9 to 12 in., B&B	1.90	1.50	1.25
12 to 15 in., B&B	2.40	2.00	
15 to 18 in., B&B	3.25	2.75	
— catesbaei, 3'-4'	Dr	cooping Le	ucothoe
Evergreen. White flowers, May. Glossy	_		oloring.
12 to 15 in., B&B	2.25	1.90	1.50
LIGUSTRUM amurense, 14'-15' Semi-evergreen. Upright. Olive green for	oliage. Ve		r Privet
18 to 24 in	.25	.23	.19
2 to 3 ft	.34	.29	.24
3 to 4 ft	.52	.45	.35
1-9	10-49	50-249	250-up
— ibolium, 8'-10'		Iboliun	Privet
Similar to California Privet, but much l		4.4	1.0
18 to 24 in	$\begin{array}{c} .17 \\ .23 \end{array}$	$.14 \\ .19$	$\begin{array}{c} .12 \\ .17 \end{array}$
3 to 4 ft	.30	.25	.22
— obtusifolium (ibota), 9'-10'		Ibota	a Privet
Good dense habit; flowers and fruits fro	eely. Dec		
berries. Very hardy. 12 to 18 in	.25	.20	
18 to 24 in	.30	.25	
2 to 3 ft	.45	.35	
3 to 4 ft	.55	.45	
— regelianum (ibota regel.), 5'-6'		Rega	l Privet
Low, dense, spreading. Very desirable.			
12 to 18 in	.27	$.22\frac{1}{2}$	
18 to 24 in	.40	.32 1/2	
2 to 2½ ft	.55	.45	



LIGUSTRUM obtusifolium regelianum—Regal Privet. Grown from cuttings. The true spreading type.

	1-9		rice in Qu 50-249	
LIGUSTRUM obtusifolium vicaryi,	8'-10'	Go	lden Ibot	a Privet
Striking yellow foliage, clear sales.	even colo	r. Pot up	for good	summer
9 to 12 in	.37	.30	.25	
12 to 15 in	.55	.45	.35	
— ovalifolium, 12'-15'			Californi	a Privet
Most popular hedge plant. Gl	lossy gree	n foliage.		
12 to 18 in	.15	.11	.09	.07
18 to 24 in	.20	.14	.11	.09
2 to 3 ft	.27	.22	.18	.15
3 to 4 ft	.37	.27	.22	.20
4 to 5 ft	.55	.45	.37	.30
5 to 6 ft	.75	.60	.50	.40
LILAC (See SYRINGA)				
LINDEN (See Tilia)				
LINDERA (See BENZOIN)				
		1-9	10-49	50 - 249
LIQUIDAMBAR styraciflua, 50'-60	*		Sw	eet Gum
Excellent, rich autumn color. interesting corky bark.	Grows w	ell in mo	ist locatio	ons. Has
5 to 6 ft		2.60	2.20	1.75
6 to 8 ft			2.80	2.25





LONICERA fragrantissima—Winter Honeysuckle. Our bush Honeysuckle are of supreme quality, and this is a scarce item.

	Unit	rice in Qi	iantities
	1-9	10-49	50 - 249
LIRIODENDRON tulipifera, 60'-80'		ŋ	Culiptree
Rapid growing. Yellow tulip-like flower	s. June.		
5 to 6 ft	3.00	2.50	
6 to 8 ft	3.75	3.00	
8 to 10 ft	5.25	4.40	
8 to 10 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in	6.30	5.25	
9 to 11 ft., 1½ to 1¾ in	8.00	6.50	
10 to 12 ft., 1 \(\frac{3}{4} \) to 2 in	10.50	8.50	
11 to 13 ft., 2 to $2\frac{1}{2}$ in	12.75	10.50	
LONICERA bella albida, 8'-9'		Belle Hon	eysuckle
Vigorous, white flowers. Blue green fol			
18 to 24 in	.45	.37	.30
2 to 3 ft	.60		.40
3 to 4 ft	.75	.60	.50
— fragrantissima, 6'-8' White fragrant flowers, April, May. Sem		inter Hon	eysuckle
18 to 24 in.	.45	.37	.30
2 to 3 ft	.70		
3 to 4 ft	.90		.60
— heckrotti, 15'-20'		lame Hon	
Medium growing vine with orange red			eysuckie
1 year, No. 1	.50	.40	. 3 0
2 year, No. 1	.60	.50	. 40
— japonica halliana, 15'-25' Vine. Almost evergreen. Free blooming fragrant. Ideal for covering steep bank	white an	anese Hon d yellow.	
2 year, fld. gr.	. 3 3	.27	. 2 2

LONICERA maacki podocarpa, 8'-9' Strong grower. Stands neglect. Yellow		ate Honey flowers in	
Red fruit in fall.			
2 to 3 ft	.60	.50	.40
3 to 4 ft	.75	.60	.50
— morrowi, 7'-8'	Mor	row Honey	suckle
— morrowi, 7 -6	una Rad h	arries	
Spreading habit. White flowers, May, J	une. Iteu b	0.7	.30
18 to 24 in	.45	.37	.40
2 to 3 ft	.60	.50	
3 to 4 ft	.90	.75	.60
— ruprechtiana, 8'-9'		rian Honey	suckle
Creamy white flowers, June. Red and	orange berr	ies.	
2 to 3 ft	.60	.50	.40
3 to 4 ft	.85	.70	.55
4 to 5 ft	1.05	.90	.70
— tatarica alba, 9'-10'	White Tata	rian Honey	suckle
White flowers. Red fruit. Very adapta	ble.		
18 to 24 in	.45	.37	.30
2 to 3 ft	.60	.50	.40
3 to 4 ft	.75	.60	.50
4 to 5 ft		.75	.60
5 to 6 ft	1.10	.90	.75
	Pink Tata	rian Honey	suckle
— rosea, 9'-10' Pink flowers. Red fruit. Very adaptab			
Pink nowers. Red Huit, very adaptas		.25	.20
12 to 18 in	.30	.37	.30
18 to 24 in	.45		.40
2 to 3 ft	$\begin{array}{c} .60 \\ .75 \end{array}$.50 $.60$.50
		bell Honey	ran alzla
— zabelli, 9'-10'		bell none;	Suckie
An improved strain of red tatarian H			2.0
12 to 18 in	.30	.25	.20
18 to 24 in	.45	.37	.30
2 to 3 ft	.60	.50	.40
3 to 4 ft	.75	.60	.50
LYCIUM chinense, 10'-12'	Chines	e Matrimo	ny-vine
Violet flowers, June. Bright red fruits	. Ideal for	holding ba	inks.
12 to 18 in		.25	.20
18 to 24 in.		.30	.25
2 to 3 ft		.45	.35
MAGNOLIA glauca (virginiana), 15'-20'			veetbay
Fragrant creamy white flowers, May.	Nearly eve	rgreen. Pr	efers
moist location.	0.40	0.00	0.0=
18 to 24 in., B&B		2.80	2.25
2 to 3 ft., B&B		3.50	2.75
3 to 4 ft., B&B	. 5.25	4.40	3.50
4 to 5 ft., B&B		5.50	4.50
5 to 6 ft., B&B	. 9.00	6.50	



MAGNOLIA soulangeana—Saucer Magnolia. The most popular of all Magnolias. Did you ever see finer plants?

	Unit	Price in Qua	antities
	1-9	10-49	50 - 249
MAGNOLIA soulangeana, 15'-18'		Saucer M	agnolia
Purplish-pink flowers, May. Most pop	ular,	Beautifully	grown
plants. Well branched and budded. Outst	andin	g quality.	
18 to 24 in., B&B	3.00	2.50	2.00
2 to 3 ft., B&B	4.10	3.50	2.75
3 to 4 ft., B&B	5.60	4.75	3.75
4 to 5 ft., B&B	7.50	6.00	5.00
— — alexandrina, 15'-18'			
This variety is very similar to soulanges and deeper color.	ına, bı	ut a few da	ys later
•	F 0 F	4.40	0.50
2 to 3 ft., B&B	$\frac{5.25}{6.75}$	4.40	$\frac{3.50}{4.50}$
3 to 4 ft., B&B	8.50	$\begin{array}{c} 5.50 \\ 7.00 \end{array}$	$\frac{4.50}{5.50}$
4 to 5 ft., B&B	10.50	8.80	
5 to 6 ft., B&B	10.50	0.00	
— lennei, 15'-18'		Lenne M	agnolia
Late blooming. Rich, deep purple flowers	in Ap	ril.	
2 to 3 ft., B&B	5.25	4.40	3.50
3 to 4 ft., B&B	6.70	5.50	4.50
4 to 5 ft., B&B	8.50	7.00	5.50
5 to 6 ft., B&B	10.50	8.80	7.00
— — rustica, 15'-18'	Purp	le Saucer M	agnolia
Hybrid variety of soulangeana. Rose-red.			
2 to 3 ft., B&B	5.25	4.40	3.50
3 to 4 ft., B&B	6.70	5.50	4.50
4 to 5 ft., B&B			

	1-9	10-49	50-249
MAGNOLIA soulangeana verbanica, 12'-15'	V	erbanica Ma	agnolia
Rich orchid flowers, May. Very bright an	d vivid.		
18 to 24 in., B&B	3.75	3.00	2.50
2 to 3 ft., B&B	5.25	4.40	3.50
3 to 4 ft., B&B	6.75	5.50	4.50
4 to 5 ft., B&B	8.00	6.50	5.75
		G: 35	
— stellata, 8'-10'		Star Ma	
Shrubby habit. Fragrant semi-double flow		ning before	2.50
12 to 18 in., B&B	3.75	3.00	$\frac{2.50}{4.00}$
18 to 24 in., B&B	6.00	5.00	5.50
2 to 2½ ft., B&B	8.50	7.00	$\frac{5.50}{7.00}$
2 ½ to 3 ft., B&B	10.50	8.80	8.50
3 to 4 ft., B&B	12.70	10.60	8.90
— rosea, 8'-10'	F	Rosy Star Ma	agnolia
Pink flowering form of above.			
12 to 18 in., B&B	3.75	3.00	2.50
18 to 24 in., B&B	6.00	5.00	4.00
2 to 2½ ft., B&B	8.50	7.00	5.50
2½ to 3 ft., B&B	10.50	8.80	7.00
3 to 4 ft., B&B	12.70	10.60	8.50
— tripetala, 30'40'		Umbrella M	agnolia
Very large leaves, white flowers, pink s			
3 to 4 ft., BR	2.10	1.75	
4 to 5 ft., BR	2.70	2.25	
5 to 6 ft., BR	3.75	3.00	
6 to 8 ft., BR	5.25	4.50	*******
MAHONIA aquifolia, 4'		regon Holly	
Evergreen. Glossy leaves, scarlet in autu	mn. Yel	low flowers	in May.
Blue-black berries. Likes partial shade.	1 50	1.05	1.00
10 to 12 in., B&B	1.50	1.25	1.00
12 to 15 in., B&B	1.90	1.50	$1.25 \\ 1.75$
15 to 18 in., B&B	$\frac{2.60}{2.40}$	$\frac{2.20}{2.80}$	
18 to 24 in., B&B	3.40	2.80	2.25
MALUS—FLOWERING	CRAB		
MALUS arnoldiana, 8'-10' White flowers. Very compact.		Arno	ld Crab
4 to 5 ft	1.30	1.10	.90
5 to 6 ft	1.90	1.50	1.25
5 to 6 It	2.00		
— atrosanguinea, 10'-15' Single red flowers in abundance.		Carmi	ne Crab
4 to 5 ft	1.30	1.10	.90
4 to 9 tt			
— coronaria, 30'		ld Sweet Cr	abapple
Fragrant single blush-pink flowers in ea			
8 to 10 ft	3.40	2.80	

Unit Price in Quantities

	Unit Pr 1-9	rice in Qu 10-49	antities 50-249
MALUS coronaria Charlotte, 15' Double		orm of Co	oronaria
Strong grower. Good fall foliage. Pink	flowers.		
2 to 3 ft	1.05	.90	.70
3 to 4 ft	1.30	1.10	.90
4 to 5 ft	2.00	1.65	1.30
5 to 6 ft	2.60	2.20	1.75
— floribunda, 10'-15'	Japanese	Floweri	ng Crab
Single rose colored flowers. Yellow fru	its.		
3 to 4 ft		.90	.70
4 to 5 ft.		1.25	1.00
— halliana parkmani, 10'-15'		Parkm	an Crab
Semi-double pink. Compact habit. Slo	w growing		
		Λ.0	5 0
2 to 3 ft		.90	.70
3 to 4 ft 4 to 5 ft		$\frac{1.10}{1.65}$	$\begin{array}{c} .90 \\ 1.30 \end{array}$
— hoppi, 12'-15' Rose red flowers. Red fruit. Hardy, A	Hopa Red ttractive.	Floweri	ng Crab
5 to 6 ft		1.50	1.25
8 to 10 ft		$\frac{1.30}{2.80}$	1.20
	9.10	2.00	
— ioensis plena, 10'-15'			tel Crab
Large double bright pink. Fragrant. I		_	
18 to 24 in		.80	.65
2 to 3 ft		1.05	.85
3 to 4 ft	1.65	1.35	
- Prince Georges, 10'-15'	Prin	ice Georg	es Crab
A new Bechtel Hybrid. Better foliage a	and more do	ouble flov	vers.
18 to 24 in.		.80	.65
2 to 3 ft		1.05	.85
3 to 4 ft.	$\frac{1.25}{1.65}$	$\frac{1.05}{1.35}$	1.10
4 to 5 ft.		$\frac{1.35}{1.75}$	1.10 1.40
1 to 5 ft.	2.10	1.10	1.10
— purpurea, 10'-15'	Japanese I	Purple Cr	abapple
Rich, reddish purple foliage; crimson	flowers.		
4 to 5 ft	1.30	1.10	.90
5 to 6 ft.		1.50	1.25
6 to 8 ft		1.90	1.50
8 to 10 ft		2.80	
10 to 12 ft.		4.00	
— scheideckeri, 10'-15'	٤	Scheideck	er Crab
Double red buds changing to pink. Ye	llow fruits		
4 to 5 ft.		1 95	1.00
	$\substack{1.50\\1.90}$	$\frac{1.25}{1.50}$	1.00
5 to 6 ft		1.50 2.05	$\begin{array}{c} 1.25 \\ 1.65 \end{array}$
— spectabilis, 10'-15'		Floweri	
Beautiful, double pink flowers; sweet			3
3 to 4 ft	1.10	.95	.75
4 to 5 ft.	1.50	1.25	1.00
6 to 8 ft.	2.50	2.05	1.65
8 to 9 ft	3.40	2.80	2.25

	1-9	10-49	30-240
MALUS theifera (hupehensis) 15'-20'			Tea Crab
Sturdy, spreading. Literally covered with	pink flo	wers.	
4 to 5 ft	1.50	1.25	
MAPLE (See ACER)			
MATRIMONY VINE (See LYCIUM)			
MOCKORANGE (See PHILADELPHUS)			
MORAINE LOCUST (See GLEDITSIA MORA	INE)		
MORUS ALBA, 35'-50'		White	Mulberry
Rapid growing and bushy. Bears fruits at	tractive	to birds	,
5 to 6 ft	1.10	.95	.75
6 to 8 ft	1.50	1.25	1.00
8 to 10 ft	2.25	1.90	
MOUNTAIN ASH (See SORBUS)			
MOUNTAIN LAUREL (See KALMIA)			
MULBERRY (See MORUS)			
MYRICA pennsylvanica, 4'-5'			Bayberry
Does well in poor, gravelly soil. Has dec	corative,	gray be	rries, and
glossy green foliage. Good for seashore.	1 00	1 50	1 05
15 to 18 in., B&B	1.90 6.75	$\frac{1.50}{5.50}$	$egin{array}{c} 1.25 \ 4.50 \end{array}$
MYRTLE (See VINCA)			
•			
NINEBARK (See PHYSOCARPUS)			
	Q.		or Tunolo
NYSSA sylvatica, 40'-60'		-	or Tupelo
Handsome foliage which assumes bright in wet places.	colors	111 1a11.	WIII glow
2 to 3 ft., B&B	4.50	3.35	
3 to 4 ft., B&B	5.00	$\frac{4.10}{7.00}$	3.25 5.50
5 to 6 ft., B&B	8.50	7.00	5.50
OAK (See QUERCUS)			
OREGON GRAPE (See MAHONIA)			
OXYDENDRON arboreum, 25'-30'			Sourwood
Showy white flowers in August. Leathery fall coloring. The very finest native sma		. Strikin	g, crimson
18 to 24 in	1.30	1.10	.90
2 to 3 ft	1.65	1.35	
PACHYSANDRA terminalis, 6"-8"		Janan	ese Spurge
Evergreen. Ideal ground cover for shad	y places		
1 year, 2 in. pots	.22	.20	.15
— w, &			

PARTHENOCISSUS (See AMPELOPSIS)			
PHELLODENDRON chinensis, 25'-30'		Chinese Co	orktree
A rapid growing tropical appearing smal	I tree.		
2 to 3 ft	1.10	.85	.70
3 to 4 ft	1.30	1.10	.90
5 to 6 ft	$\frac{1.30}{2.70}$	$\frac{1.10}{2.25}$	
6 to 8 ft	$\frac{2.75}{3.75}$	3.00	
8 to 10 ft	5.00	4.25	
PHILADELPHUS—MOCKO	DRANGI	C.	
PHILADELPHUS coronarius, 9'-10'		- Sweet Mock	orongo
,			orange
White fragrant flowers. Profusely borne			2.0
18 to 24 in	.45	.37	.30
2 to 3 ft	.60	.50	.40
3 to 4 ft	.75	.60	.50
— — aurea, 4'-5'	Go	ldleaf Mock	orange
Dwarf, compact form. Bright yellow follow	iage.	e.	
12 to 15 in	.90	.75	.60
15 to 18 in	1.10	.95	.75
18 to 24 in	1.45	1.20	.95
	т.		
— lemoine, 4'-5'		moine Mock	_
Good, compact habit. Intensely fragrant,	single	dowers. A si	upreme
dwarf shrub.			
12 to 18 in	.50	.40	.32
18 to 24 in	.60	.50	.40
2 to 3 ft	.75	.60	.50
— virginalis, 7'-8'	Vi	rginal Mock	orange
Our strain is the true virginalis and blo	oms all	summer. It	s semi-
double flowers are fragrant and it is no	ot to be		
inferior variety which is offered by many	у.		
12 to 18 in	.37	.30	.25
18 to 24 in	.55	.45	.35
2 to 3 ft	.70	.55	.45
3 to 4 ft	.90	.75	.60
SMALL GROWING SPE	CIES		
PHILADELPHUS albatre, 4'-5'—12-18"; 18-	.94" • 9_	21	
Low, bushy growth. Large single, white			anicles.
— avalanche, 4'-5'—12-18"; 18-24" Graceful arching habit.			
— bouquet blanc, 4'-5'—12-18"; 18-24" Low, compact habit. Blooms freely. May	y-June.		
— enchantment, 4'-5'—12-18"; 18-24" Double white flowers, very showy and fried foundation planting. 12 to 18 in	ragrant55 .70	A gem in t .45 .55	he .35 .45
2 to 3 ft	.85	.70	.55
2 to 0 1t	.00	• • •	.00

LARGE GROWING SPECIES

Distinctive habit and large showy flowers.

PHILADELPHUS atlas, 6'-8'. Tall variety an 12-18"; 18-24"; 2-3'; 3-4'			S.
floribundus, 9'-10'. Resembles coronarius. flowers slightly fragrant. 3-4'; 4-5'; 5-6	Very fr	ee blooming;	
— pyramidalis, 8'-10'. Narrow upright growt	h. 3-4';	4-5'; 5-6'	
Above Species at following prices:	4.5	2.5	2.0
12 to 18 in	.45	.37	.30
18 to 24 in	.60	.50	.40
2 to 3 ft	.75	.60	.50
3 to 4 ft	.90	.75	.60
4 to 5 ft	1.10	.95	.75
5 to 6 ft	1.30	1.10	.90
PHOTINIA subumbellata, 10'		Christma	sberry
Slender branched shrub. Shrubby in cha	aracter	Scarlet fruit	S.
	.45	.37	.30
12 to 18 in.		.50	.40
18 to 24 in	.60		.50
2 to 3 ft	.75	.60	.60
3 to 4 ft	.90	.75	
4 to 5 ft	1.10	.95	.75
5 to 6 ft	1.45	$\boldsymbol{1.20}$.95
— villosa, 15'		Oriental Ph	notinia
A large shrub; hawthorn like flowers. C berries.	olorf u l í	fall foliage. F	Red
12 to 18 in	.45	.37	.30
18 to 24 in	.60	.50	.40
2 to 3 ft	.75	.60	.50
3 to 4 ft.	.90	.75	.60
4 to 5 ft.	1.10	.95	.75
5 to 6 ft	1.30	1.10	.90
	1.00		
PHYSOCARPUS opulifolius, 9'-10'		Common Ni	nebark
Creamy white, June. Vigorous. Good for	r shade.		
2 to 3 ft	.60	.50	.40
3 to 4 ft	.75	.60	.50
4 to 5 ft	.90	.75	.60
5 to 6 ft	1.10	.95	.75
— — nana, 5'		Dwarf Ni	nebark
Dwarf variety of the species.			
18 to 24 in	.75	.60	.50
2 to 3 ft	.90	.75	.60
3 to 4 ft.	1.10	.95	.75
PIERIS japonica, 5'-6'		apanese And	
Evergreen. Drooping clusters of small,	white fl	owers open i	-
12 to 15 in., B&B	3.40	2.80	2.25
15 to 18 in., B&B	4.10	3.50	2.75
18 to 24 in., B&B	5.25	4.40	3.50



PLATANUS accrifolium (orientalis)—London Planetree, Princeton quality and a Princeton specialty.

	Unit 1-9	Price in Qua	ntities 50-249
PINUS strobus, 80'-100'		Whi	te Pine
Probably our most useful and adaptable old.	e pine.	Picturesqu	e when
18 to 24 in., B&B	3.00	2.50	
2 to 3 ft., B&B	4.10	3.50	
3 to 4 ft., B&B	6.00	5.00	
4 to 5 ft., B&B	7.50	6.00	
5 to 6 ft., B&B	10.00	8.00	
— sylvestris, 25'-30'		Scot	ch Pine
Evergreen. A rapid-growing, handsome to Good for windbreaks.	ee, esp	ecially when	young.
3 to 4 ft., B&B	6.75	5.50	
4 to 5 ft., B&B	8.50	7.00	
PLANE TREE (See PLATANUS)			
PLATANUS acerifolium (orientalis), 70'-80'		London Pl	anetree
A desirable, quick growing street or par condition.			
6 to 8 ft	3.00	2.50	2.00
8 to 10 ft., 1 to $1\frac{1}{4}$ in	5.25	4.40	3.50
8 to 10 ft., 1 1/4 to 1 1/2 in	7.15	5.85	4.75
9 to 11 ft., 1½ to 1¾ in	9.00	7.50	6.00
10 to 12 ft., 1 \% to 2 in	10.50	9.00	

1 MAR LIMITO D VICE AND THE STATE OF THE STA			ycamore
Rugged, strong growing. Has smooth, developed. Very picturesque.	almost		
4 to 5 ft	1.45	1.20	.95
5 to 6 ft	1.90	1.50	1.25
6 to 8 ft	2.60	2.20	1.75
8 to 10 in., 1 to 1 1/4 in	4.10		2.75
10 to 12 ft., 1 1/4 to 1 1/2 in	6.00		4.00
10 to 12 ft., 1½ to 1¾ in	7.50		5.00
11 to 13 ft., 1 3/4 to 2 in	9.00		6.00
11 to 13 ft., 2 to 2 1/4 in	10.50	9.00	
POLYGONUM auberti, 25' Strong growing vine producing foamy and fall.	sprays (China F of flowers in	leecevine summer
2 year	.70	.55	.45
POPULUS alba bolleana, 50'-60'		Bollean	a Poplar
Leaves white underneath. Columnar h	abit. Go	od for scree	ens.
4 to 5 ft			.75
5 to 6 ft			.90
6 to 8 ft			1.25
0 to 8 It,		7111	1.50
8 to 10 ft., 1 to 1 ½ in.	$\frac{2.33}{3.00}$		2.00
8 to 10 ft., 1¼ to 1½ in.	$\frac{3.00}{3.75}$		$\frac{2.50}{2.50}$
10 to 12 ft., 1½ to 2 in.	$\frac{3.13}{4.50}$		3.00
12 to 14 ft., 2 to $2\frac{1}{2}$ in	4.00	0.10	0.00
eugenie, 75'-90' Rapid grower. Succeeds in dry places	and ne		na Poplar e.
5 to 6 ft			.75
6 to 8 ft		1.25	1.00
8 to 10 ft., 1 to 1¼ in		1.90	1.50
9 to 11 ft., 1¼ to 1½ in		2.50	
10 to 12 ft., 1½ to 1¾ in.			
11 to 13 ft., 1 ¾ to 2 in.			
		Tanana	ao Donlar
— maximowiczii, 60'-80' Dark green foliage. Medium spreadin stately, clean tree.			se Poplar e bark. A
5 to 6 ft	1.20	1.00	.80
6 to 8 ft		1.25	1.00
8 to 10 ft., 1 to 1 1/4 in	2.25	1.90	1.50
— nigra italica, 60'-80'			dy Poplar
Tall, spire-like. Good for landscape w			
6 to 8 ft			.75
8 to 10 ft			1.00
10 to 12 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in	. 1.90		1.25
10 to 12 ft., 1½ to 1¾ in	. 2.25	5 1.90	
PRIVET (See LIGUSTRUM)			
PRUNUS Blireana, 10'-12' Very large, double pink flowers. Spec	tacular		ana Plum Attractive
4 to 5 ft	. 1.7	5 1.40	1.15
5 to 6 ft			
8 to 10 ft	4.1	0 3.50	



PRUNUS maritima — Beach Plum and RHAMNUS frangula — Glossy Buckthorn. Princeton quality; good landscape shrubs.

	Unit l 1-9	Price in Qu 10-49	
PRUNUS cerasifera pissardi, 12'-15' Valued chiefly because of purplish folia; year for best color effect.	ge; shou		eaf Plum led every
5 to 6 ft		1.75 2.20 2.75	1.40
— Newport, 10'-12' Rich purple-red foliage which retains its mer. Compact symmetrical habit. White 2 to 3 ft. 3 to 4 ft.	flowers 1.05	roughout in spring. .90	.70
— glandulosa alba, 5'-6' Double white flowers in May. Very attra 3 to 4 ft.	White active.	Flowering	g Almond
— — pink, 5'-6' Double pink flowers in May. Very attra		Flowering	Almond
18 to 24 in		$\begin{array}{c} .55 \\ .70 \\ .90 \end{array}$.55
— maritima, 5'-6' Small white flowers, April. Ideal for splanting. Edible fruit.	andy soi		ach Plum side
12 to 18 in. 18 to 24 in. 2 to 3 ft. 3 to 4 ft.	.80	.45 $.55$ $.70$ $.90$	$\begin{array}{c} .35 \\ .45 \\ .55 \\ .70 \end{array}$



PRUNUS subhirtella pendula — Weeping Japanese Cherry. Ours are grown on their own stems and are absolutely winter hardy. The best Weeping Cherry that can be grown.

the best weeping energy that the se gran			
	Unit I	Price in Qu 10-49	antities 50-249
PRUNUS padus, 30'-40'	Eur	opean Bird	Cherry
Long, drooping racemes of white flowers.	Black f	ruit.	
2 to 3 ft		.75	.60
3 to 4 ft	1.25	1.05	.85
5 to 6 ft	2.10	1.75	1.40
6 to 8 ft	2.60	2.20	1.75
- subhirtella autumnalis, 25'-30' Autum	n flowe	ring Higan	Cherry
Small tree. Semi-double flowering in Oct	ober or	early sprin	ıg.
3 to 4 ft		1.40	
4 to 5 ft		2.10	1.70
5 to 6 ft.	3.30	2.75	
— — pendula, 12'-15'	Weepin	g Japanese	Cherry
These trees are grown on Prunus pendu	ıla stem	s and are	graceful
and of good quality. Preferred by many	to top gr	rafted tree	s.
2 to 3 ft., own stems	1.65	1.35	1.10
3 to 4 ft., own stems	2.60		
4 to 5 ft., own stems		3.50	
5 to 6 ft., own stems		5.00	
6 to 8 ft., own stems	7.75	6.25	$\boldsymbol{5.25}$
— tomentosum, 6'-7'		Nanking	g Cherry
Fruits are light red; flowers white, before	re leave	s appear. V	ery
showy.			
18 to 24 in	.70	.55	.45
2 to 3 ft	.80	.70	.55
3 to 4 ft	1.05	.90	.70

	Unit Pr 1-9	rice in Quar 10-49 - E	ntitnes 50-249
PRUNUS tribola plena, 7'-8'	Double	Flowering	Plum
Double, pink flowers, April-May. Handson	ne and v	ery useful.	
18 to 24 in	.75	.60	.50
2 to 3 ft	1.00	.80	.65
3 to 4 ft	1.25	1.05	.85
JAPANESE CHERRIE	ES		
PRUNUS ichiyo (hisakura), 25'-35' Flowers double pink.			
2 to 3 ft	1.65	1.35	1.10
5 to 6 ft	4.10	3.50	
6 to 8 ft.	4.90	4.05	
- J. H. Veitch (fugenzo), 30' Flowers double pink.			
2 to 3 ft	1.65	1.35	1.10
3 to 4 ft	2.50	2.05	1.65
4 to 5 ft	3.40	2.80	2.25
5 to 6 ft	4.10	3.50	2.75
6 to 8 ft	4.90	4.05	
- Kwanzan (Serr. Sekiayama) (Kanzan), 40' Dbl. deep pink. The best double flowering thrifty, and well grown. 18 to 24 in	g cherry.	Ours are y	
2 to 3 ft.	1.10	.95	$.50 \\ .75$
3 to 4 ft	1.90	1.50	1.25
4 to 5 ft	2.60	2.20	$\frac{1.25}{1.75}$
5 to 6 ft	3.40	2.80	$\frac{1.75}{2.25}$
6 to 8 ft	4.50	$\frac{2.30}{3.75}$	$\frac{2.25}{3.00}$
— naden, 40' Semi-double. Pale pink. 6 to 8 ft. 8 to 10 ft.	$4.90 \\ 6.00$	$4.05 \\ 5.00$	
	0.00	5.00	
— yeodoensis, 35' Single pile pank. 2 to 3 ft.	4.40	Yoshino C	herry
3 to 4 ft.	1.10	$\frac{.95}{}$	
4 to 5 ft.	1.90	1.50	
5 to 6 ft	$\frac{2.60}{3.40}$	2.20	0.07
6 to 7 ft.	4.50	$\frac{2.80}{3.75}$	$\frac{2.25}{3.00}$
PSEUDOTSUGA taxifolia (douglasi), 70'-80' Hardy. Dark bluish green coloring. Does		Dong	las-fir
location.	''		
2 to 3 ft., B&B	4.90	4.05	3.25
3 to 4 ft., B&B	6.75	5.50	4.50
5 to 6 ft., B&B 1	1.25	9.50	7.50
PYRACANTHA coccinea lalandi, 9'-12' Evergreen. A beautiful broad-leaved evergof orange berries in the fall. Needs protect 12 to 15 in., Cans	green wit	aland Fire th large clude North. .95 1.25	thorn asters .75
	. – -	~.=0	1.00

EXTRA CHARGE FOR DIGGING CHERRIES B&B. SEE B&B SCHEDULE PAGE 2-3



PRUNUS KWANZAN—We are eastern headquarters for Kwanzan Cherry. Our soil and climate seems especially adapted to the variety. Although the national supply is exceptionally low, due to the unfortunate freeze on the Pacific Coast, we are not taking advantage of the situation and raising prices.

We expect our supply next year to be bigger and better than ever before. Reserve your future requirements now.

Unit Price in Quantities 1-9 10-49 50-249

Scarlet Oak

PVRACANTHA crenulata, 9'-12'		Nepal I	Firethorn
Glossy foliage; bright red berries.	Extremely	attractive	and
desirable.			
12 to 15 in., 5 in. Pots	1.50	1.25	1.00

QUERCUS coccinea, 75'-90'

NURSERY GROWN OAKS

Stately, tall grower. Deeply cut leaves. S	Striking	autumn c	olor.
3 to 4 ft	1.65	1.35	1.10
4 to 5 ft	2.25	1.90	1.50
5 to 6 ft	3.00	2.50	2.00
— palustris, 75'-100'			Pin Oak
Most desirable and adaptable. Excellent	autumn	foliage.	
3 to 4 ft	1.50	1.25	1.00
4 to 5 ft	1.90	1.50	1.25
5 to 6 ft	2.60	2.20	1.75
6 to 8 ft	3.75	3.00	2.50
8 to 10 ft., 1 to 1 1/4 in	5.60	4.75	3.75
9 to 11 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in	7.50	6.00	5.00
10 to 12 ft., $1\frac{1}{2}$ to $1\frac{3}{4}$ in	10.50	8.80	7.00
10 to 12 ft., 1 \(\frac{3}{4} \) to 2 in	13.50	11.00	9.00



QUERCUS palustris—Pin Oak. Better Pin Oak can't be grown.

	Unit 1-9	Price in Qu 10-49	
QUERCUS robur, 50'-60'		Eng	lish Oak
Interesting spreading habit.			
8 to 10 ft. 1 to 1¼ in	6.00	5.00	
9 to 11 ft. 1½ to 1½ in	7.50	6.00	
— rubra (borealis maxima), 75'-90'		Common	Red Oak
A quick growing and clean tree. Fine a	utumn c	oloring.	
3 to 4 ft	1.65	1.35	1.10
4 to 5 ft	2.25	1.90	1.50
5 to 6 ft	3.00	2.50	2.00
6 to 8 ft.	4.50	3.75	3.00
9 to 11 ft., 1 ½ to 1 ½ in.	8.50	7.00	5.50
	44 50	9.75	

QUINCE, FLOWERING (See CYDONIA)

REDBUD (See CERCIS)

RETINOSPORA (See CHAMAECYPARIS)

RHAMNUS cathartica, 9'-10'	Cor	nmon Buc	kthorn
Dark green foliage. Black berries.			
18 to 24 in	.60	.50	.40
2 to 3 ft	.75	.60	.50
3 to 4 ft	.90	.75	.60

RHAMUS frangula, 8'-9'	G	lossy B	uckthorn
Excellent foliage. Red berries turning b	lack when	ripe.	
Excellent lollage, Red beilles turning b	.60	.50	.40
18 to 24 in	.75	.60	.50
2 to 3 ft	.90	.75	.60
3 to 4 ft			
RHODODENDRON catawbiense, 6'-9'			odendron
Large rosy purple flowers, May-June. Do	es best in	partial	shade.
12 to 15 in., B&B	2.25	1.90	1.50
15 to 18 in., B&B	3.00	2.50	2.00
		TO 1	1 1
— maximum, 8'-10'			odendron
Striking light pink flowers, May-June. D	oes best in	n shade	d areas.
2 to 2½ ft., B&B	4.10	3.50	
2 ½ to 3 ft., B&B	5.00	4.00	
3 to 4 ft., B&B	6.00	5.00	
4 to 5 ft., B&B	9.00	7.00	
muononulatum 6'	Korea	n Rhod	odendron
— mucronulatum, 6'			
Violet-pink flowers, very early. Handsom	e scarret-t.	intou io	4 7 65
in fall.	3.50	2.80	
15 to 18 in., B&B	6.00	5.00	
2 to 2½ ft., B&B	0.00	0.00	
HYBRID RHODODEND			
In addition to the varieties listed we have a	ı number (of large	plants
of fair and good quality which will be price	ced accord	ing to	variety
and size. Sold only on customer's personal	selection a	t the n	ursery.
HYBRID RHODODENDRONS 3'-8'			
	0 0 0 1 / / 1	9.1/ 9/	
Album elegans. Light blush changing to whit	e. 4-4 ½,	$4\frac{1}{2}$ -3.	
Caractacus. Red. 18-24"; 2-2½'.			
Catawabiense alba. White. 18-24", 2-2½'.			
Catawbiense grandiflora. Lavendar pink. 2-2	½'; 2½-3'		
F. D. Godman. Crimson with dark blotch. 18-2	24"; 2-2½	'; 2 ½ -3	3′.
Mrs. C. S. Sargent. Rich crimson. 12-15"; 15-			
President Lincoln. Lavender. 18-24"; 2-2½'.			
Roseum elegans. Lavender-pink. 2-2 ½'.			
**	97		
Roseum superbum. Clear, soft coral-rose. 2 ½		0.00	
12 to 15 in., B&B	$egin{array}{c} 3.50 \ 5.00 \end{array}$	$\frac{2.90}{4.00}$	
15 to 18 in., B&B	$\frac{3.00}{7.50}$	6.00	
2 to 2½ in., B&B	10.00	7.50	
2 ½ to 3 ft., B&B	12.50	10.00	
2 /2 00 0 10., 1000	12.00	10.00	
See also AZALEA for species and varieties co	ommonly k	cnown a	as Azalea.
DIJODOWNOG homisides (seendons) 4/ 5/		7771.	:4. TZ
RHODOTYPOS kerrioides (scandens), 4'-5'	T		ite Kerria
Fresh green foliage. White flowers, M black berries all winter.	ay, June.	Sniny	nead-like
18 to 24 in	.70		4 ~
		.55	.45
2 to 3 ft	.85	.70	.55
3 to 4 ft	1.10	.95	
		.00	.75
4 to 5 ft	1.45	1.20	.75 .95



RHODOTYPOS kerriodes—White Kerria and KOLKWITZIA amabilis—Beautybush. Cut back, bushy plants.

	Unit I 1-9	Price in Qu 10-49	antities 50-249
RHUS canadensis (aromatica), 4'-5'		Fragran	t Sumac
Clusters of small, yellow flowers in Apr bright coral red fruits in June. Aromatic			owed by
12 to 18 in.	.45	.37	.30
18 to 24 in.		.50	.40
2 to 3 ft	.75	.60	.50
— copallina, 12'-13'		Shining	Sumac
Showy crimson fruits. Rich autumn color dry locations.	ring. Go		
12 to 18 in	.37	.30	.25
18 to 24 in	.45	.37	.30
 cotinus, 14'-15' Also called Purple Fringe. Large panicles appearing flowers. 		nmon Smo nery, filmy	
12 to 18 in	.60	.50	.40
18 to 24 in	.75	.60	.50
2 to 3 ft	1.10	1.00	.80
3 to 4 ft	1.65	1.35	1.10
4 to 5 ft	2.00	1.65	1.35
5 to 6 ft	2.40	2.00	1.60
— glabra, 10'-12' Crimson fruits in bunches. Rich autumn poor soil.	coloring		n Sumac
12 to 18 in	.30	.25	.20
18 to 24 in	.37	.30	.25
2 to 3 ft	.45	.37	.30
3 to 4 ft	.60	.50	.40

Unit	Price	in	Quan	tities
1-9	10-			0 - 249

RHUS trilobata, 3']	Lemonade	Sumac
A good, low growing sumac. Splendid fa	all colorati	on.	
12 to 18 in	45.	.37	.30
18 to 24 in.	.60	.50	.40
ROBINIA hispida, 5'-6'		Rose	-acacia
Rosy pink pea shaped flowers, May, Jun	ne.		
18 to 24 in., Single stem	.55	.45	.35
2 to 3 ft., Single stem	.70	.55	.45
ROSA blanda, 4'-5'		Meadov	w Rose
Pink, May. Almost thornless. Reddish k	oranches.		
18 to 24 in	.55	.45	.35
2 to 3 ft	.70	.55	.45
— hugonis, 6'		en Rose of	
Bright yellow flowers. Reddish wood. Up	oright. Exc	ellent type	shrub
12 to 18 in	.60	.50	.40
18 to 24 in.	.75	.60	.50
2 to 3 ft.	1.00	.80	.65
3 to 4 ft	1.20	1.00	.80
— humilis (carolina), 2'-3'		Pastur	e Rose
The common, sweetly scented, pink, wile	d rose of t	he pasture	es.
18 to 24 in	.55	.45	.35
2 to 3 ft	.70	.55	.45
3 to 4 ft	.85	.70	.55
— lucida (virginiana), 5'-6'		Virgini	a Rose
— lucida (virginiana), 5'-6' Pink, June, July. Excellent border or r	naturalizin	-	
Pink, June, July. Excellent border or rangelect.		g variety.	
Pink, June, July. Excellent border or reglect. 12 to 18 in	naturalizin .37 .55	-	Stands
Pink, June, July. Excellent border or rangelect.	.37	g variety.	Stands .25
Pink, June, July. Excellent border or r neglect. 12 to 18 in	.37 .55 .70	g variety30 .45 .55 Japanes	.25 .35 .45 e Rose
Pink, June, July. Excellent border or reglect. 12 to 18 in	.37 .55 .70 grower. Ir	g variety. .30 .45 .55 Japanes	.25 .35 .45 se Rose
Pink, June, July. Excellent border or reglect. 12 to 18 in	.37 .55 .70 grower. In	g variety. .30 .45 .55 Japanes	.25 .35 .45 se Rose
Pink, June, July. Excellent border or reglect. 12 to 18 in	.37 .55 .70 grower. Invation pla results.	g variety. .30 .45 .55 Japanes n popular d nting. Use	.25 .35 .45 se Rose lemand e these
Pink, June, July. Excellent border or reglect. 12 to 18 in	.37 .55 .70 grower. Invation pla results.	g variety. .30 .45 .55 Japanes	.25 .35 .45 se Rose
Pink, June, July. Excellent border or reglect. 12 to 18 in	.37 .55 .70 grower. In vation pla results. .18	g variety. .30 .45 .55 Japanes n popular d nting. Use .15	.25 .35 .45 ee Rose lemand e these .12
Pink, June, July. Excellent border or reglect. 12 to 18 in	.37 .55 .70 grower. In vation pla results. .18	g variety. .30 .45 .55 Japanes n popular d nting. Use .15	.25 .35 .45 ee Rose lemand e these .12
Pink, June, July. Excellent border or respect. 12 to 18 in	.37 .55 .70 grower. In vation pla results. .18	g variety. .30 .45 .55 Japanes n popular d nting. Use .15	.25 .35 .45 ee Rose lemand e these .12
Pink, June, July. Excellent border or reglect. 12 to 18 in	.37 .55 .70 grower. In vation pla results. .18 ks and ge	g variety. .30 .45 .55 Japanes a popular d nting. Use .15 Bristl	.25 .35 .45 se Rose lemand these .12 sy Rose s plant-
Pink, June, July. Excellent border or respect. 12 to 18 in	.37 .55 .70 grower. In vation pla results. .18 ks and ge	g variety. .30 .45 .55 Japanes a popular d nting. Use .15 Bristl neral mass	.25 .35 .45 ee Rose lemand e these .12 dy Rose s plant- .30
Pink, June, July. Excellent border or respect. 12 to 18 in	.37 .55 .70 grower. In vation pla results. .18 ks and ge	g variety. .30 .45 .55 Japanes a popular d atting. Use .15 Bristl neral mass	.25 .35 .45 de Rose lemand e these .12 dy Rose s plant- .30 .40
Pink, June, July. Excellent border or respect. 12 to 18 in	.37 .55 .70 grower. In vation pla results. .18 ks and ge .45 .60 .75 .90	g variety. .30 .45 .55 Japanes a popular d nting. Use .15 Bristl neral mass .37 .50 .60 .75	.25 .35 .45 se Rose lemand e these .12 sy Rose s plant- .30 .40 .50
Pink, June, July. Excellent border or respect. 12 to 18 in	.37 .55 .70 grower. In vation pla results. .18 ks and ge .45 .60 .75 .90	g variety. .30 .45 .55 Japanes a popular d nting. Use .15 Bristl neral mass .37 .50 .60 .75 Swam	.25 .35 .45 ee Rose demand e these .12 dy Rose s plant- .30 .40 .50 .60
Pink, June, July. Excellent border or respect. 12 to 18 in	.37 .55 .70 grower. In vation pla results. .18 ks and ge .45 .60 .75 .90	g variety. .30 .45 .55 Japanes a popular danting. Use .15 Bristlaneral mass .37 .50 .60 .75 Swam	.25 .35 .45 se Rose lemand these .12 ly Rose s plant- .30 .40 .50 .60 np Rose
Pink, June, July. Excellent border or reglect. 12 to 18 in	.37 .55 .70 grower. In vation pla results. .18 ks and ge .45 .60 .75 .90	g variety. .30 .45 .55 Japanes a popular d nting. Use .15 Bristl neral mass .37 .50 .60 .75 Swam .30 .45	.25 .35 .45 se Rose lemand these .12 ly Rose s plant- .30 .40 .50 .60 np Rose
Pink, June, July. Excellent border or reglect. 12 to 18 in	.37 .55 .70 grower. In vation pla results. .18 ks and ge .45 .60 .75 .90 location. .37 .55 .70	g variety. .30 .45 .55 Japanes a popular d nting. Use .15 Bristl neral mass .37 .50 .60 .75 Swam .30 .45 .55	.25 .35 .45 se Rose demand these .12 by Rose s plant30 .40 .50 .60 np Rose .25 .35 .45
Pink, June, July. Excellent border or reglect. 12 to 18 in	.37 .55 .70 grower. In vation pla results. .18 ks and ge .45 .60 .75 .90	g variety. .30 .45 .55 Japanes a popular d nting. Use .15 Bristl neral mass .37 .50 .60 .75 Swam .30 .45	.25 .35 .45 se Rose lemand these .12 ly Rose s plant- .30 .40 .50 .60 np Rose



ROSA rugosa—Red Rugosa Rose. Very heavily branched; excellent in seaside plantings.

	Unit 1 1-9	Price in Qu 10-49	antities 50-249
ROSA rubiginosa, 5'-6'		Sv	veetbrier
Bright pink flowers in June. Good foliag	e with a	romatic o	dor.
18 to 24 in	.60	.50	.40
2 to 3 ft	.75	.60	.50
3 to 4 ft	,90	.75	.60
— rugosa, 4'-6'		Red Rug	osa Rose
Rich green foliage. Large red fruits. Pin Good seaside plant.	k flower	s June-Se	ptember.
18 to 24 in	.70	.55	.45
2 to 3 ft	.85	.70	.55
3 to 4 ft	1.05	.90	.70
— setigera, 5'-6'		Prai	rie Rose
Deep rose flower. June-July. Vigorous g	rower.		
18 to 24 in	.52	.45	.35
2 to 3 ft	.70	.55	.45
3 to 4 ft	.85	.70	.55
4 to 5 ft	1.05	.90	.70
— wichuraiana white, 10'-12'		Wichur	ian Rose
Prostrate trailing plant. Rich, shiny fol White flowers, late blooming.	iage, al	most ever	green.
12 to 18 in., 1 year	.37	.30	.25
18 to 24 in., 1 year	.55	.45	.35
2 to 3 ft., 2 year	.70	.55	.45

٥(٠٠)٠			
SALIX babylonica, 50'-60'	Babylon	Weeping	Willow
SAMA babylomea, 50 -00			
One of the best weepers. Long pendulo	us branci	les. Excell	ent roi
waterside planting.			
4 to 5 ft	.85	.70	.55
5 to 6 ft	1.25	1.05	.85
6 to 8 ft	1.90	1.50	
0 00 0 20 11111111111111111111111111111			
-1	Solomon	Weeping	Willow
— — salamoni (sepulcralis), 40'-50'		weeping	** 1110 W
Similar to Babylonica, but not so pendu	lous.		
6 to 8 ft	1.90	1.50	
8 to 10 ft	2.60	2.20	1.75
10 to 12 ft	3.30	2.75	2.20
10 to 12 1t	3.30	2	
Nondo 40/ 50/	Viceoncin	Weeping	Willow
,		weeping	VV IIIO W
Spreading habit. Pendulous at tips. Ha	rdy.		
4 to 5 ft	.85	.70	.55
5 to 6 ft	1.25	1.05	.85
6 to 8 ft	1.90	1.50	1.25
0 00 0 10,	2.00	2.00	
4 11 001		04	777:11 o ***
— caprea, 15'-20'		Goat	Willow
Very desirable for spring effects. Will do	well in (iry as well	as wet
places.			
18 to 24 in	.37	.30	.25
2 to 3 ft.	.55	.45	.35
	.33	.55	.45
3 to 4 ft	. 10	. G G .	.40
— elegantissima, 60'-70'	Thurlow	Weeping	Willow
Vigorous upright grower; best for stree	t nlanting	,	
	_		0 =
5 to 6 ft	1.25	1.05	.85
6 to 8 ft	1.90	1.50	1.25
8 to 10 ft	2.60	2.20	1.75
— incana, 8'-10'		Eleagnus	Willow
Attractive silvery leaves. Slow growing	Dogomb		
	. Resemb	nes Russia	n Onve
in appearance.			
18 to 24 in	.45	.37	.30
2 to 3 ft	.60	.50	.40
3 to 4 ft	.75	.60	.50
-1-1 40/ 20/	271 1		
— niobe, 40'-50'	Niob	e Weeping	Willow
Weeping form with golden bark.			
4 to 5 ft	.85	.70	
5 to 6 ft.	1.25	1.05	
0 00 0 10,	1.20	1.00	
1 7 201 201			
— pentandra, 20'-30'			Willow
Upright. Shiny dark-green leaves. Exce	llent in s	easide plan	nting
3 to 4 ft	.60		
		.50	.40
4 to 5 ft	$\frac{.75}{1.05}$.60	.50
5 to 6 ft	1.05	.90	.70
6 to 8 ft	1.30	1.10	.90
8 to 10 ft	1.90	1.50	1.25

	1-0	10-4.7	00-210
SALIX vitellina aurea pendula, 25'-30' Weeping tree similar to Salix babylonica, 5 to 6 ft	Weep with 1.25 1.90 2.60	oing Golden golden brar 1.05 1.50 2.20	Willow iches. .85 1.25 1.75
COTTOT ADMINISTRA (C. CODIVONA)			
SCHOLARTREE (See SOPHORA)			
SHADBLOW (See AMELANCHIER) SILVERBELL (See HALESIA) SNOWBALL (See VIBURNUM) SNOWBELL (See STYRAX) SNOWBERRY (See SYMPHORICARPOS)			
SOPHORA japonica, 30'-40'	(Chinese Sch	olartree
White flowers in late summer. Noticeable Also called Pagoda Tree. An excellent smacity conditions.	le gre	en bark in eet tree, wit	winter. hstands
2 to 3 ft	2.25	1.90	1.50
3 to 4 ft	3.75	3.00	2.50
4 to 5 ft	4.65	4.05	3.25
5 to 6 ft	6.75	5.50	4.50
6 to 8 ft	9.00	7.50	
8 to 10 ft 1	2.00	10.00	
SORBARIA aitchisoni, 4'-5'	K a	shmir Fals	n gniron
,			
Graceful compound foliage. Creamy white			tember.
3 to 4 ft	.85	.70	.55
4 to 5 ft	1.05	.90	.70
5 to 6 ft	1.30	1.10	.90
SORBUS aucuparia, 25'-30'	Euro	pean Mount	ain_ach
A valuable tree on a small lawn; the scar			
striking.	iet be	erries are ve	ery
4 to 5 ft	1 50	1 05	1 00
5 to 6 ft.	$\frac{1.50}{2.25}$	$egin{array}{c} 1.25 \ 1.90 \end{array}$	$\frac{1.00}{1.50}$
	$\frac{2.25}{3.00}$	$\frac{1.90}{2.50}$	1.50
	4.65	$\frac{2.50}{4.05}$	$egin{array}{c} 2.00 \ 3.25 \end{array}$
	6.00	$\frac{4.05}{5.00}$	
	7.50	$\frac{6.00}{6}$	
	0.00	8.00	
	$\frac{0.00}{2.00}$	10.00	
12 to 14 It., 2 72 to 3 III	2.00	10.00	
SOURGUM (See NYSSA) SOURWOOD (See OXYDENDRON) SOUTHERN BUSH HONEYSUCKLE (See DIEL SPICE BUSH (See BENZOIN)	RVILL	uA)	
SPIREA arguta, 5'-6'		Garland	Sniros
Very free flowering. Somewhat similar to	thunh		
very free nowering. Somewhat similar to vigorous.	thullb	ergi but mo	re
	0.7		
12 to 18 in,	.37	.30	.25
18 to 24 in	.55	.45	.35
2 to 3 ft	.70	.55	.45
3 to 4 ft	.85	.70	.55
4 to 5 ft	1.00	.80	.65

CDYDUA LULIANAL El El		Billiard	Spirea
SPIREA billiardi, 5'-6' Bright pink, fluffy flower spikes, July-Oct	ober. Go	od in dry	
	,00011 00		
locations. 18 to 24 in	.37	.30	.25
2 to 3 ft	.55	.45	.35
3 to 4 ft	.70	.55	.45
	A 21	- Tiletonon	Sniros
— bumalda Anthony Waterer, 3'		y Waterer	
Deep rich, rose-pink. Sometimes slight v	ariegatio	n in Iollage	Э.
Blooms all summer. Rich, reddish green	1 lollage	. 25	.20
9 to 12 in	$\begin{array}{c} .30 \\ .37 \end{array}$.29	.25
12 to 15 in	.55	.45	.35
15 to 18 in	.70	.55	.45
18 to 24 in	.85	.70	.55
2 to 2 ½ ft 2 ½ to 3 ft	1.00	.80	.65
2 ½ to 5 It	200		
— — froebeli, 4'-5'		Frobel	_
Taller and more vigorous than Anthony	Waterer	with brigh	t pink
flowers.			
12 to 18 in	.33	.27	.22
18 to 24 in	.55	.45	.35
2 to 2 ½ ft	.70	.55	.45
2 ½ to 3 ft	.85	.70	.55
3 to 4 ft	1.05	.90	.70
	Crimso	n Japanese	Spirea
— japonica coccinea, 3' Similar in growth to Spirea Anthony Wason. A superior type.		-	_
12 to 15 in	.37	.30	.25
15 to 18 in	.45	.37	.30
18 to 24 in	.60	.50	.40
2 to 2 ½ ft	.75	.60	.50
		Dridol	wreath
— prunifolia plena, 7'-8'			wieatu
The true bridalwreath. White double flor Glossy dark green leaves. Rich fall colo	wers III a	abungance.	
		.27	.22
12 to 18 in	.33 $.55$.45	.35
18 to 24 in	.70	.55	.45
3 to 4 ft.	.85	.70	.55
— reevesiana, 7'-8'			Spirea
Pure white, May-June. Graceful, arching late in season.	habit. R	tetain folias	ge until
15 to 18 in	.30	.25	.20
18 to 24 in	.37	.30	.25
2 to 3 ft	.55	.45	.35
— thunbergi, 4'-5'		Thunberg	Spirea
Slender arching branches covered with	nure wh	_	-
May. Feathery light green foliage.			
12 to 18 in	.37 $.55$	$\begin{array}{c} .30 \\ .45 \end{array}$	$.25 \\ .35$
18 to 24 in	.70	.55	.45
2 to 2 ½ 1t	.85	.70	.55
2 /2 00 0 10	.00	• • •	.00



SPIREA vanhouttei—Vanhoutte Spirea and PRUNUS glandulosa rosea—Pink Flowering Almond. Both are indispensable varieties. Note the heavy branching.

Unit Price in Quantities			
	1-9	10-49	50-249
SPIREA tomentosum, 4'		H	lardhack
Wooly, rose-pink flowers, July-September plantings.	. Good	in lowgro	und
12 to 18 in	.37	.30	.25
18 to 24 in	.45	.37	.30
2 to 3 ft	.60	.50	.40
— vanhouttei, 8'-9'		Vanhoutt	
White, May-June. Graceful habit. Free floand useful shrub.	wering	. A most a	daptable
12 to 18 in	.30	.25	.20
18 to 24 in.	.37	.30	.25
2 to 3 ft	.52	.45	.35
3 to 4 ft	.70	.55	.45
4 to 5 ft	.90	.75	.60
STAPHYLEA colchica, 10'-12'	(Colchis Bla	addernut
Fragrant white flowers in May and June	. Decor	ative seed	pods.
3 to 4 ft	1.05	.90	.70
4 to 5 ft	1.45	1.20	.95
5 to 6 ft	1.65	1.35	1.10
6 to 8 ft	2.10	1.75	1.40

	10		
STAPHYLEA trifoliata, 10'-15' Dense shrub with numerous upright br		rican Blado om base. D	
tive seed pods.			
3 to 4 ft	.90	.75	.60
4 to 5 ft	1.10	.95	.75
	1.45	1.20	.95
5 to 6 ft	1.40	1.20	***
SPURGE (See PACHYSANDRA)			1
STEPHANANDRA flexuosa, 5'-6'		eaf Stephai	nandra
Graceful, compact habit; handsome fol	iage.		
15 to 18 in	.37	.30	.25
18 to 24 in	.55	.45	.35
2 to 3 ft	.70	.55	.45
3 to 4 ft.	.85	.70	.55
3 to 4 1t.	.00		.00
STEWARTIA pseudocamellia, 20'-25'		panese Ste	
Large, attractive shrub. White stamens			
12 to 18 in	1.50	1.25	1.00
18 to 24 in	2.75	1.90	1.50
2 to 3 ft	3.00	2.50	2.00
	-	Gm	omball
STYRAX japonica, 12'-15'		apanese Sn	
White bell-shaped pendant flowers, Jun	e-July. Ma	ıkes a stril	ting,
handsome specimen.			
18 to 24 in., B&B	3.00	2.50	2.00
2 to 3 ft., B&B	3.75	3.00	2.50
3 to 4 ft., B&B	4.65	4.05	3.25
4 to 5 ft., B&B	6.75	5.50	
5 to 6 ft., B&B	8.50	7.00	
6 to 8 ft., B&B	10.50	8.80	
8 to 10 ft., B&B		11.00	
8 to 10 ft., B&B	10.00	11.00	
SUMAC (See RHUS)			
SUMMERSWEET (See CLETHRA)			
SWEET GUM (See LIQUIDAMBAR)			
SWEETLEAF (See SYMPLOCUS)			
SYCAMORE (See PLATANUS)			
SYMPHORICARPOS chenaulti, 6'-8'	Ch	enault Sno	wberry
Brighter berries than vulgaris. Excelle			
12 to 18 in	.30	.25	.20
		.30	.25
18 to 24 in	.37		
2 to 3 ft		.45	.35
3 to 4 ft	.70	.55	.45
- racemosus (albus), 5'-6'		Sno	wberry
Conspicuous white berries. Attractive	foliage G	ood in hal	fshade
and moist locations.			
12 to 18 in		.21	.17
18 to 24 in		.27	.22
2 to 3 ft		.37	.30
3 to 4 ft	.60	.50	.40





SYRINGA vulgaris—Common Purple Lilac and SYRINGA japonica—Japanese Tree Lilac. Our Lilacs are all of comparable quality.

	Unit Price in Quantities		
	1-9	0-49	50 - 249
SYMPHORICARPOS vulgaris (orbiculatus), 4	'-5'	Cor	alberry
Coral-red berries through winter. Good in			
12 to 18 in			
18 to 24 in	.33	.27	.22
2 to 3 ft	.45	.37	.30
SYMPLOCUS paniculata, 25'-40'		Sv	veetleaf
Deciduous shrub with slender spreading fragrant flowers.	branches	s. Hardy	; white
18 to 24 in	.70	.55	
2 to 3 ft	.85	.70	
SYRINGA chinensis (rothomagensis), 8'-9'		Chine	se Lilac
Slender branches. Graceful habit. Violet f Free-flowering.	lowers in	May.	
18 to 24 in	.55	.45	.35
2 to 3 ft	.70	.55	.45
3 to 4 ft.	.85	.70	
— saugeana, 8'-9'	Purp	le Chine	se Lilac
Deep purple flowers.			
18 to 24 in	.55	.45	.35
2 to 3 ft	.70	.55	.45
3 to 4 ft	.90	.75	.60

SYRINGA japonica, 18'-20'	Japar	ese Tree	Lilac
I case bunches of greamy white flowers.	June-July. I	Handsome	e
foliage. Develops into well-shaped small	tree. A love	ly variety	y
for landscaping.			
2 to 3 ft	.75	.60	.50
3 to 4 ft	1.00	.80	.65
4 to 5 ft	1.20	1.00	.80
		Late	Lilac
— villosa, 7'-8'	bobit	шию	Hilac
Pale pinkish-lilac, fragrant. Compact, b	usny nabit.	.27	.22
12 to 18 in	.33 $.45$.37	.30
18 to 24 in 2 to 3 ft	.60	.50	.40
2 to 3 ft	.85	.70	.55
4 to 5 ft	1.05	.90	
1 00 0 200000000		_	
— vulgaris, 12'-15'	Common	Purple	Lilac
Delicate purple flowers, fragrant. May.			
12 to 18 in	.37	.30	.25
18 to 24 in	.55	.45	.35
2 to 3 ft	.70	$.55 \\ .75$	$.45 \\ .60$
3 to 4 ft	$\begin{array}{c} .90 \\ 1.10 \end{array}$. 7 5	.75
4 to 5 ft	1.10	.00	
N - 40/4*/	Comm	on White	Lilac
——————————————————————————————————————	Comm	711 11 11100	
Fragrant, white, single flowers. May.	.45	.37	.30
15 to 18 in	.60	.50	.40
2 to 3 ft	.75	.60	.50
3 to 4 ft	1.00	.80	.65
FRENCH LILACS—NAMED	VARIETIES		
Adelaide Dunbar. Double. Red. 12-18"; 18-2			
Alphonse Lavalle. Double. Blue. 12-18"; 18-	24": 2-3'.		
Belle de Nancy. Double. Pink. 12-18"; 18-24	"· 2-3'.		
Charles Joly. Double. Red. 12-18"; 18-24"; 2	2-3' 2-4'		
Congo. Single. Red. 12-18"; 18-24".	7-0, 01.		
Ellen Willmott. Double. White. 12-18"; 18-2	A" • 9-31		
Florent Stepman. Single. White large flower.	19_19# 19_	94" - 9-3"	,
	12-10", 10-	24 , 2-0	•
Jan Van Tol. Single. White. 12-18"; 18-24".			
Ludwig Spaeth. Single. Red. 12-18"; 18-24".		0.7	
Mme. Casimir Perier. Double. White. 12-18"	; 18-24"; 2-	5.	
Mme. F. Morel. Single. Red. 12-18"; 18-24".	0.01		
Mme. Lemoine. Double. White. 12-18"; 18-2	4"; 2-3'.		
Marie LeGraye. Single. White. 12-18"; 18-24			
Michel Buchner. Double. Pinkish lilac. 12-1		2-3'.	
Mont Blanc. Single. White. 12-18"; 18-24";			
President Grevy. Double. Light blue. 12-18"		3′.	
President Lincoln. Single. Clear blue. 12-18"			
President Poincare. Double. Clear purple. 12		'; 2-3'.	
Wm. Robinson. Double. Pink. 12-18"; 18-24	" .		





FRENCH HYBRID LILACS—Our variety list includes only the best strong growing, heavy blooming kinds. Our Lilacs are good.

	Unit Price in Quantities		
	1-9		50 - 249
FRENCH LILAC PRI	CES		
12 to 18 in	.60	.50	.40
18 to 24 in	.85	.70	.55
2 to 3 ft	1.10	.95	.75
3 to 4 ft	1.30	1.10	.90

^{*}Our variety list is very large, covering many excellent kinds not listed here. If you desire to leave your selections by color to us, there will be a 5ϕ per plant reduction.

			
TAMARIX parviflora, 12'-14'		Algerian Ta	amarix
Panicles of pink flowers. Blue green eve	rgreen	appearing f	oliage.
18 to 24 in	.37	.30	.25
2 to 3 ft	.55	.45	.35
3 to 4 ft	.70	.55	.45
— pentandra (Amurensis), 12'-15' Fivestamen Tamarix			
Slender and spreading growth. Pink flow dry or sandy soils.	ers in A	August. Like	s very
18 to 24 in	.37	.30	.25
2 to 3 ft	.55	.45	.35
3 to 4 ft	.70	.55	.45

TAMARIX Pink Cascade, (Plant Patent I	No. 1275)		
A nowtatonding novelty Masses of 0	eascading	nesn-pink	pan-
icles in late summer. Excellent for s	seashore p	planting.	
icles in face summer.	.75	.60	.50
18 to 24 in	.90	.75	.60
2 to 3 ft	.00		
TAXODIUM distichum, 75'-100'	Con	mmon Bald	cypress
Tall pyramidal, symmetrical, deciduous	tree, wit	h feathery	foliage.
Distinct in appearance.			
3 to 4 ft., B&B	6.50	5.40	
4 to 5 ft., B&B	8.00	6.50	5.25
5 to 6 ft., B&B	10.00	8.00	
5 to 6 It., B&B			
TAXUS—THE YE	ws		
		ading Engl	ish Yew
TAXUS baccata repandens, 18"-24"			
Spreading. Horizontal branches. Dark low planting.	green for	lage. Excel	icht ioi
9 to 12 in., B&B	2.25	1.90	1.50
9 to 12 in., B&B	4.50	3.75	3.00
18 to 24 in., B&B	6.00	5.00	4.00
18 to 24 m., B&B			
	Spread	ding Japan	ese Yew
- cuspidata, 10'-15'			
Rich, deep green leaves Spreading, bu	Shy habit	9.00	1.60
12 to 15 in., B&B	2.40	$egin{smallmatrix} 2.00 \ 3.50 \end{smallmatrix}$	$\frac{1.00}{2.75}$
15 to 18 in., B&B	$\frac{4.10}{6.00}$	$\frac{5.50}{5.00}$	4.00
18 to 24 in., B&B	7.50	6.00	5.00
2 to 2½ ft., B&B	1.50	0.00	0.00
(huamifolia) 9/9/	Dy	warf Japan	ese Yew
— nana (brevifolia), 2'-3'			
Broad, thick leaves, very dark green.	Dwarnsn	and miego	liai
spreading habit. Very hardy.	2.50	2.05	1.65
9 to 12 in., B&B	$\frac{2.30}{3.75}$	3.00	$\frac{1.00}{2.50}$
12 to 15 in., B&B		4.90	2.00
15 to 18 in., B&B	0.00	4.00	
	rgo Berri	ed Spreadi	ng Tyne
A selected strain of Taxus cuspidata. I profusion.	rruit larg	e, borne in	L
12 to 15 in., B&B	2,40	2.00	1.60
18 to 24 in., B&B	6.35	5.30	4.25
2 to 2½ ft., B&B	9.00	7.50	6.00
2 00 2 /Z 10, D002			
— — thayeri, 6'-8'	Thay	ers Spread	ling Yew
Low, wide, spreading form. Dark green		_	
		5.00	
18 to 24 in., B&B		6.00	******
2 to 2½ ft., B&B	. 4.50	0.00	
11. 40/47/		ш1	orid Yew
— intermedia, 12'-15'		пу	nia rev
Hybrid between baccata and cuspidata	9 00	9 50	2.00
12 to 15 in., B&B	. 3.00	2.50	4.00
0.4			





TAXUS media hatfieldi—Hatfield Yew. The finest upright Taxus.

	Unit 1-9	Price in Qu 10-49	
	1-9	10-49	50-249
TAXUS media browni, 10'-12'		Broad Uprig	ght Yew
An outstanding variety. Excellent dark	green	foliage. C	ompact.
medium spreading. Shears well. Can be	used	as a specii	men for
nedge or foundation plantings. Full and	tight	at base.	
15 to 18 in., B&B		3.75	3.00
2 to 2½ ft., B&B	8.50	7.00	5.50
— — hatfieldi, 8'-10'		Hatfie	eld Yew
Similar to Hicks Yew, but more compact.			
12 to 15 in., B&B	2.50	2.05	1.65
15 to 18 in., B&B	3.75	3.00	2.50
18 to 24 in., B&B		4.40	3.50
, ===,	0.20	4.40	0.00
— hicksi, 20'-25'		Hic	ks Yew
Columnar form with upright branches.			1011
15 to 18 in., B&B	3.00	2.50	2.00
18 to 24 in., B&B	4.50	3.75	3.00
3 to 3½ ft., B&B	10.50	8.80	7.00
,	- 0 0 0	0.00	1.00
— ovata, 20'-25'		Ovata	a Taxus
Rich dark green foliage; broad columnar	form:		
15 to 18 in., B&B	3.00		2.00
	4.50	_,,,	
		0.10	0.00

THORN, FLOWERING (See CRATAEGUS)



THUJA occidentalis globosa—Globe Arborvitae. Very hardy, slow growing, bushy sheared plants. THUJA occidentalis pyramidalis—Pyramidal Arborvitae in the background.

THUJA—Arborvitae

THUJA occidentalis compacta, 2½'-4']	Parsons Arb	orvitae
Bright green. Almost globe shaped.			
9 to 12 in., B&B	1.50	1.25	1.00
12 to 15 in., B&B	1.90	1.50	1.25
15 to 18 in., B&B	2.85	2.35	1.90
— — elegantissima, 10'-15'		ntipped Arb	
Evergreen. Branches tipped with yellow.	Rich,	lustrous gre	een.
15 to 18 in., B&B	1.65		
18 to 24 in., B&B	1.90	1.50	1.25
— — globosa, 3'-4'		Globe Arb	orvitae
Rich green. Globe shape.			
9 to 12 in., B&B	1.50	1.25	1.00
12 to 15 in., B&B	1.90	1.50	1.25
15 to 18 in., B&B	2.85	2.35	1.90
— hoveyi, 3'-4'		Hovey Arl	
Evergreen. Oval in shape, nearly as broa	d as h	igh.Bright	green
foliage.			
15 to 18 in., B&B	2.85	2.35	1.90
18 to 24 in., B&B	3.60	2.85	2.25





THUJA occidentalis nigra—Dark American Arborvitae. Certainly the best tall growing Arborvitae. Good dark green foliage throughout the winter.

	Unit Price in Quantities		
	1-9	10-49	50-249
THUJA occidentalis plicata, 10'-12'		Moss Ar	borvitae
Formal pyramid. Rich blue-green foliage	. Short		
give pleasing effect.		,	
2 to 2 ½ ft., B&B	2.60	2.20	1.75
— — atrovirens, 100'		Giant Ar	borvitae
Rich, shining, deep green, fleshy leaves.			
2 to 3 ft., B&B	3.00	2.50	
3 to 4 ft., B&B	4.50	3.75	
4 to 5 ft., B&B	6.00	5.00	
— — nigra, 15'-30'	Oark Aı	nerican Ai	borvitae
New improved strain of American Arbo	rvitae;	more sym	metrical
in form, deeper in color, especially during			
cuttings. Very desirable. The best of the			
green. Compact. Shears well.			
2 to 2 ½ ft., B&B	2.60	2.20	1.75
2 ½ to 3 ft., B&B	3.40	2.80	2.25
3 to 4 ft., B&B	4.50	3.75	3.00
— — pyramidalis, 15'-30'	Py	ramidal Aı	borvitae
Bright, rich green foliage, narrow colum:	nar sha	pe.	
2 to 2 ½ ft., B&B	2.60	2.20	1.75
2 ½ to 3 ft., B&B	3.40	2.80	2.25
3 to 4 ft., B&B	4.50	3.75	3.00
— — wareana, 12'-15'	5	Siberian Aı	borvitae
12 to 15 in., B&B	1.50	1.25	1.00
15 to 18 in., B&B	1.90	1.50	1.25
18 to 24 in., B&B	2.50	2.05	1.65
2 to 3 ft., B&B	3.25	2.75	



THUJA orientalis aurea nana — Berckman's Golden Arborvitae.

GOLDEN BIOTA

OURS ARE AN EXCELLENT LOT!

THESE PLANTS ARE FULL, BRIGHT AND ATTRACTIVE.

THEY ARE AN ABSOLUTE NECESSITY FOR THE SALESYARD OR PLANT MARKET

A REAL MONEY MAKER

RICH, GOLDEN YELLOW FOLIAGE

Thuja orientalis aurea nana, 2½-3'

Berckmans Golden Arborvitae

	Unit Price in Quantities		
	1-9	10-49	50 - 249
9 to 12 in., B&B	1.50	1.25	1.00
12 to 15 in., B&B	1.90	1.50	1.25
15 to 18 in., B&B	2.60	2.20	1.75
18 to 21 in., B&B	3.30	2.75	2.20
2 to 2 ½ ft., B&B	4.25	3.55	

WE HAVE A LARGE ASSORTMENT OF THE BEST SALES YARD ITEMS

COME EARLY AND MAKE YOUR SELECTION

	Unit 1-9	Price in (10-49	Quantities 50-249
TILIA americana, 75'-90'		Amorio	an Linden
Grows rather quickly, forming an open flowers.	head. H	as fragra	nt, yellow
6 to 8 ft	2.60	2.20	1.75
8 to 10 ft	3.40	2.80	2.25
8 to 10 ft., 1½ to 1¾ in	4.50	3.75	
9 to 11 ft., 1 ¾ to 2 in	5.60	4.75	
10 to 12 ft., 2 to 2 ¼ in.	6.75	5.50	
HIM o cur			
TSUGA canadensis, 75'-90'		~ .	
			1 Hemlock
Most graceful and adaptable. Excellent planting. Shears well.			
1½ to 2 ft., B&B	3.40	2.80	2.25
2 to 2½ ft., B&B	4.90	4.05	3.25
2 72 to 5 It., B&B	6.75	5.50	4.50
TULIPTREE (See LIRIODENDRON)			
¾ U }			
ULMUS americana, 80'-100'		Ame	rican Elm
Fast growing, forming graceful head.			
6 to 8 ft	2.10	1.75	1.40
8 to 10 ft	3.40	2.80	2.25
8 to 10 ft., 1 ½ to 1 ½ in	4.50	3.75	3.00
— — Moline, 80'-100'		N	loline Elm
A remarkable variety with handsome la	rge, dee	ply grain	ed foliage.
6 to 8 ft	2.10	1.75	1.40
8 to 10 ft., 1 to 1¼ in	3.40	2.80	2.25
9 to 11 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in	4.50	3.75	3.00
10 to 12 ft., $1\frac{1}{2}$ to $1\frac{3}{4}$ in	6.00	5.00	******
— "PRINCETON", 80′-100′			ceton Elm
A selected strain of American Elm. All ing habit. Glossy foliage.	budded s	stock. Go	od spread-
6 to 8 ft	2.10	1.75	1.40
8 to 10 ft., 1 to 1¼ in	3.40	2.80	2.25
8 to 10 ft., $1\frac{1}{4}$ to $1\frac{1}{2}$ in	4.50	3.75	3.00
9 to 11 ft., $1\frac{1}{2}$ to $1\frac{3}{4}$ in	5.85	4.75	3.75
— pumila, 50'-75'		Ch	inese Elm
Forms symmetrical head. Rapid grower under city conditions.	er. Good		
4 to 5 ft	1.00	.80	.60
5 to 6 ft	1.20	1.00	.80

VARNISHTREE (See Koelreuteria)

VIBURNUM americana (trilobum), 8'-9'	American Cranberrybush		
Good foliage. Bright scarlet berries all	winter.	Extremel	y hardy.
Good follage. Bright scarlet berries and	.45	.37	.30
12 to 18 in	.70	.55	.45
18 to 24 in	.85	.70	.55
2 to 3 ft.	1.00	.80	.65
3 to 4 ft	1.20	1.00	.80
4 to 5 ft			
— burkwoodi, 4'		rkwood V	
Medium open growing. Pinkish white fl	lowers, 1	May, June	e. Very
fragrant.			
2 to 2 1/2 ft., B&B	4.10	3.50	2.75
2 1/2 to 3 ft B&B	4.65	4.05	3.25
3 to 4 ft., B&B	6.00	5.00	4.00
— carlesi, 4'-6'	Fragrant Viburnum		
One of the most desirable, semi-dwarf fl	lowering	shrubs, v	with very
fragrant flower clusters of white, shade	d pink.		
15 to 18 in., B&B	3.00	2.50	
18 to 24 in., B&B	4.50	3.75	
2 to 2½ ft., B&B	6.00	5.00	
		•	TT141 A
— cassinoides, 5'-6'			Withe-rod
White flowers, May-June. Pink berries of	change to	blue. Ki	ch
autumn foliage coloring. Good planted			0.11
12 to 18 in	.55	.45	.35
— dentatum, 10'-12'		A	rrowwood
White flowers, May-June. Blue-black	herries	Purple	and red
autumn coloring. Excellent in wet soil.	DOLLION	. Larpes	
12 to 18 in	.37	.30	.25
18 to 24 in	.55	.45	.35
2 to 3 ft	.70	.55	.45
		T . 1	T 7 2 3
— dilatatum, 8'-9'			Viburnum
White flowers in May and June. Scarle	et showy	berries	persisting
late. Very handsome.			4.0
12 to 18 in	.60	.50	.40
18 to 24 in	.75	.60	.50
2 to 3 ft	.90	.75	.60
•		Word	aring-tree
— lantana, 15'-18'			
White flowers, May-June. Dark green w	rinkled	tonage. R	ed perries
changing to black.			9.5
10 to 10 in	0 =		
12 to 18 in	.37	.30	.25
18 to 24 in	.55	.45	.35
18 to 24 in 2 to 3 ft	$\begin{array}{c} .55 \\ .70 \end{array}$	$\begin{array}{c} .45 \\ .55 \end{array}$.35 .45
18 to 24 in	.55 .70 .85	$.45 \\ .55 \\ .70$.35 .45 .55
18 to 24 in 2 to 3 ft	$\begin{array}{c} .55 \\ .70 \end{array}$	$\begin{array}{c} .45 \\ .55 \end{array}$.35 .45 .55
18 to 24 in	.55 .70 .85	.45 .55 .70 .90	.35 .45 .55 .70
18 to 24 in	.55 .70 .85 1.05	.45 .55 .70 .90	.35 .45 .55 .70
18 to 24 in	.55 .70 .85 1.05	.45 .55 .70 .90 N e-black fr	.35 .45 .55 .70 annyberry
18 to 24 in	.55 .70 .85 1.05	.45 .55 .70 .90 N e-black fr	.35 .45 .55 .70 annyberry ruits.
18 to 24 in	.55 .70 .85 1.05 age. Blue .37 .55	.45 .55 .70 .90 N e-black fr .30 .45	.35 .45 .55 .70 (annyberry ruits. .25 .35
18 to 24 in	.55 .70 .85 1.05 age. Blue .37 .55	.45 .55 .70 .90 N e-black fr	.35 .45 .55 .70 (annyberry ruits. .25 .35

	1-9	10-49	50-249
VIBURNUM molle, 10'-12'	K	Centucky Vil	urnum
White flowers, May and June. Large, dark fall coloring.	greer	n foliage. Go	od
12 to 18 in,	.37	.30	.25
18 to 24 in	.55	.45	.35
2 to 3 ft	.70	.55	.45
3 to 4 ft	.90	.75	.60
— nudum, 15'		ssumhaw Vib	
Glossy, waxy foliage, scarlet in fall. Show Thrives in wet ground.	vy, da	rk blue frui	ts.
12 to 18 in.	.55	.45	.35
18 to 24 in	.70	.55	.45
2 to 3 ft	.85	.70	.55
	1.05	.90	.70
— opulus, 9'-10'		ean Cranber	
Very similar in habit of growth and fruit t		ırnum ameri	canum.
12 to 18 in	.45	.37	.30
18 to 24 in	.70	.55	.45
2 to 3 ft	.85	.70	.55
	1.05	.90	.70
— nana, 18"-24"	$\mathbf{D}\mathbf{v}$	varf Cranber	rybush
Very compact. Rarely flowers.			
4 to 6 in	.70	.55	.45
6 to 9 in	.90	.75	.60
—— sterile. 9'-10'		Common Sr	owball
White flowers, May, June. Very showy.			
12 to 18 in	.55	.45	.35
18 to 24 in	.75	.60	.50
3 to 4 ft	1.00	.80	.65
5 to 4 It	1.25	1.05	.85
— prunifolium, 10'-12'		Bla	ickhaw
White flowers, May, June. Blue-black frui	ts.		
12 to 18 in	.70	.55	.45
18 to 24 in	.90	.75	.60
- rhytidophyllum, 6'-8'	Lea	therleaf Vib	urnum
Evergreen. Large oblong leaves. Deep gr			
18 to 24 in., B&B	3.00	2.50	2.00
2 ½ to 3 ft., B&B	5.25	$\frac{2.30}{4.40}$	$\frac{2.00}{3.50}$
3 to 4 ft., B&B	7.50	6.00	0.00
- SETIGERUM (See Viburnum theiferum)			
SETTOERCM (See Viburnam thenerum)			
— sieboldi (japonicum), 9'-10'		Siebold Vib	urnum
White flowers, May, June. Pink fruits cha green foliage.	nging		
12 to 18 in	.45	.37	.30
18 to 24 in	.60	.50	.40
2 to 3 ft	.85	.70	.55

Unit Price in Quantities

Unit Price in Quantities 1-9 10-49 50-249

VIBURNUM theiferum (V. setigerum)		Tea Vibu	rnum
Narrow, upright grower. Very handsome	foliage.	Brilliant, s	carlet
berries in clusters. A spectacular fall it	em.		
12 to 18 in	.70	.55	.45
18 to 24 in	.90	.75	.60
2 to 3 ft	1.10	.95	.75
3 to 4 ft	1.30	1.10	.90
— tomentosum, 7'-8' White flowers borne in flat heads, June.		olefile Vibu	
		.45	. 35
12 to 18 in	$\begin{array}{c} .55 \\ .70 \end{array}$.55	.45
18 to 24 in 2 to 3 ft	.90	.75	.60
3 to 4 ft	1.10	.95	
— wrighti, 7'-8'	7	Wright Vib	arnum
A native of Japan. Upright habit. Brig	ht scarlet	fruits pro	oduced
abundantly.			
18 to 24 in	.75	.60	.50
2 to 3 ft	1.00	.80	.65
VINCA minor, 6"-8"	Peri	winkle or	Myrtle
Trailing evergreen. Glossy foliage. Blue			,
Excellent ground cover in sun or shad	e.	m spring.	
3 in. pots, 2 year		.25	.20
VITEX macrophylla (latifolia), 3'-4' Lar	oo.loovad	Lilac Chas	to troo
Lilac flowers, August, September. Gray Prefers sun.			
12 to 18 in	.45	.37	.30
18 to 24 in	.60	.50	.40
2 to 3 ft	.75	.60	.50
3 to 4 ft	.90	.75	.60
VITIS labrusca, 40'		Fox	Grape
Very rapid growing vine. Excellent cos	arse grou		_
quickly cover banks, fences, etc.			
2 year, 2 to 3 ft	.60	.50	.40
2 year, 3 to 4 ft		.60	.50
WEIGELIA Eva Rathke, 4'-5'	Red	flowered W	'eigelia
Carmine, free flowering, June-August. I	Rich folia	ge.	
12 to 18 in	.55	.45	.35
18 to 24 in	.70	.55	.45
2 to 3 ft	.85	.70	.55
3 to 4 ft	1.05	.90	
— floribunda, 8'		Crimson W	<i>J</i> eigelia
Upright growing. Crimson flowers.		CIIIISUII W	UISUIIA
12 to 18 in	.37	9.0	0.5
18 to 24 in	.55	$\begin{array}{c} .30 \\ .45 \end{array}$	$.25 \\ .35$
2 to 3 ft	.60	.50	.33 $.40$
3 to 4 ft	.75	.60	.50

	1-9	10-49	
WEIGELIA Gustav Mallot, 6'-8'		Red	Weigelia
Rose-red, June-August. Good grower. 7	The hardies	t of all W	eigelias.
18 to 24 in	6.0	.50	.40
2 to 3 ft	.75	.60	.50
- rosea (florida rosea), 7'-8'		Dink 1	Weigelia
Pink flowers, June. Strong grower. Go	ood foliage	IIIK	weigena
12 to 18 in	3.7	.30	.25
18 to 24 in	5.5	.45	.35
2 to 3 ft	.70	.55	.45
3 to 4 ft	.85	.70	.55
— Vaniceki, 5'-6'	Vani	cek Red V	Waigalia
Vigorous growing, red Weigelia. Simi	lar in flow	er and fo	diaga ta
Eva Rathke. The finest red Weigelia.	Very hardy		mase to
18 to 24 in	.70	.55	.45
2 to 3 ft	.85	.70	.55
3 to 4 ft	1.05	.90	.70
WHITE ASH (See FRAXINUS)			
WHITE KERRIA (See RHODOTYPOS)			
WILLOW (See SALIX)			
WINTERCREEPER (See EUONYMUS)			
WISTERIA floribunda macrobotrys (Multi	juga), 35'-	50'	
, ,		gcluster V	Wisteria
Has long drooping racemes of purple cover a trellis or pergola.	flowers. Un		
2 year grafts	.75	.60	.50
3 year grafts	1.00	.95	.75
alba, 35'-50' Fragrant white flowers.	White Lon	gcluster V	Wisteria
1 year grafts	.70	.55	.45
WITCH-HAZEL (See HAMAMELIS)			

Unit Price in Quantities

YEW (See TAXUS)

SALES YARD SUGGESTIONS

A properly managed sales yard, or plant market, can be a

very profitable operation.

The following suggestions are made to assist you in selecting popular quick-selling varieties and in handling them successfully in your establishment. We will be pleased to help you select the very best plants for your own particular location or requirements.

FLOWERING SHRUBS

Flowering shrubs established in pots or containers are easy to handle, solve your replacement problem, and give you a very long selling season. Moreover the plants steadily improve in appearance and fullness as the selling season advances. Pot as early in spring as possible.

In potting shrubs a No. 2 Cloverset, or similar sized pot is good for the average size shrub. Use a mixture of 1/3 fibrous peat, 1/3 loam or good top soil and 1/3 sand. Spread the roots evenly in the pot and firm the soil as the pot is filled. Leave a

rim of pot 1 to 11/2" above the soil to facilitate watering.

After potting, soak well with a liquid fertilizer at about ½ the strength the manufacturer recommends. Place potted plants in a lath house, shaded cold greenhouse, or in a well sheltered area. Shift plants and space out as foliage develops. In caring for all potted material, water thoroughly often enough to keep the soil moist and mellow, but definitely not wet and soggy. Apply liquid fertilizer once a month after growth starts.

SHRUBS — Ideal for Potting

Lonicera tatarica rosea Lonicera tatarica zabelli Philadelphus lemoine Philadelphus virginalis Prunus glandulosa pink Prunus triloba plena Rosa hugonis (Shrub-rose) Spirea bumalda Anthony Waterer Spira prunifolia plena	Snowy Border Forsytha Snowhill Hydrangea White Tatarian Honeysuckle Pink Tatarian Honeysuckle Red Zabell Honeysuckle Lemoine Mockorange (dwarf) Virginal Mockorange Pink Flowering Almond Double Pink Flowering Plum Golden Rose of China Anthony Waterer Spirea Bridalwreath Vanhoutte Spirea
Prunus glandulosa pink Prunus triloba plena Rosa hugonis (Shrub-rose) Spirea bumalda Anthony Waterer Spira prunifolia plena	Double Pink Flowering Almond Double Pink Flowering Plum Golden Rose of China Anthony Waterer Spirea Bridalwreath
Syringa vulgaris	Common Purple Lilac Common White Lilac French Hybrid Lilacs Large-leaf Lilac Chaste Tree Redflowered Weigelia

SHADE, ORNAMENTAL AND FLOWERING TREES

New housing has created a remarkable demand for shade and flowering trees. Sales yard operators can capitalize on this demand because potted trees are easy to handle, thrive after planting and can be sold throughout the entire spring season and on into summer. It is best to pot small sized trees for the cash and carry business. Large sizes require too heavy a container and will not go in or on a passenger car.

For potting small trees the No. 4 Cloverset pot, or its equivalent is a good size. Use the same potting soil mixture and procedure as for shrubs. After potting soak thoroughly with liquid fertilizer at ½ the manufacturer's recommended dilution.

Place potted trees under a high lath shade, or in a protected location and space out as foliage and branches develop. Stake slender or weeping trees with a light bamboo cane. Fertilize with liquid fertilizer once a month.

The following list of trees covers the best varieties for potting and the sizes recommended are easily re-established and handled.

TREES — Ideal for Potting

Acer platanoides, 5/6' & 6/8'	Norway Maple
Acer rubrum, 5/6'	
Betula alba, $4/5'$	European White Birch
Crataegus mollis, 4/5'	Downy Hawthorn
Cole's Sunburst Locust Whips (Plant Pat. No. 1	313)
Moraine Locust Whips (Plant Pat. No. 836)	
Malus assorted, 4/5' & 5/6'	Flowering Crab
Platanus acerifolium, $5/6'$ & $6/8'$	London Planetree
Prunus Newport, 3/4'	
Prunus subhirtella pendula, 4/5' & 5/6'We	eeping Japanese Cherry
Prunus Kwanzan, 4/5' & 5/6'Double	Pink Flowering Cherry
Quercus palustris, 5/6'	
Salix elegantissima, 5/6' & 6/8'Th	

EVERGREENS AND OTHER BALLED AND BURLAPPED PLANTS

Balled and burlapped plants are of course "tailor made" for the plant market. They are in good demand and are easy to handle.

Display them under a lath house, or in a suitable partially shaded or protected area. Cut the strings around the branches as soon as they are received. Heel the balls in neat beds of peat moss or saw dust. Moderately raised beds make the plants appear at their best. Label each plant individually as to variety and price.

As soon as active growth begins in the spring, spray every

two weeks with a foliar feeding spray at $\frac{1}{2}$ the manufacturer's recommended dilution, or inject the mixture into the balls with a root feeding needle. Plenty of nitrogen is necessary to maintain good foliage color in B&B plants growing actively.

The following list covers the most popular and profitable

varieties.

Balled and Burlapped Plants

Abelia grandiflora	Glossy Abelia
Abelia grandiflora Azalea amoena	Amoena Azalea
Azalea amoena	Hinodegiri Azalea
Azalea hinodegiri	Assorted Colors
Azalea Kaempferi Hybrids	Pluma Retinosnora
Chamaecyparis plumosa	Coldon Retinospora
Chemagaynaria nlumosa aurea	Golden Rechnospora
Tlor convovo	
Tler mierenhylle	
Tuninor chinongia glassea Belzi	Iletz blue sumper
Tuningr chingness nfitzeriana	
Tuninor hihornica	IIIsh Jumper
Tuningr aveales stricts	Spiny Greek Jumper
Kalmia latifolia	Mountain Laurei
Magnalia saulangeana	Saucer magnona
Mahania aquifalia	Oregon Hony Grape
Toyng engnidata	Spreading Japanese Tew
Tayus cusnidata nana.	Dwart Japanese rew
Tayus media hatfieldi	
Thuja occidentalis globosa	Globe Arborvitae
Thuja occidentalis nigra	Dark American Arborvitae
Thuja occidentalis pyramidalis	Pyramidal Arborvitae
Thuja orientalis aurea nana (Golden Bio	ota)
Thuja orientans aurea nana (Golden Die	Berckman's Golden Arborvitae
	Delekinging Golden Illibolities

76

A HELPFUL SERVICE

WHAT SHALL I PLANT?

To assist in the proper selection of plant material for various conditions, uses and requirements, and to easily classify plants as to fruit, colors, and other characteristics, we refer you to the following lists.

All plants recommended are offered in this calalogue and the use of this reference will enable you to quickly and easily arrive at the proper variety list to cover your needs for any special or unusual requirements.

For a Quick-growing Screen

TREES

Acer dasycarpum Chamaecyparis pisifera and varieties Picea excelsa Pinus strobus Pinus sylvestris

Populus in variety Pseudotsuga douglasi Salix in variety Thuja occid. pyramidalis Thuja occidentalis nigra Tsuga canadensis

SHRUBS

Eleagnus angustifolia Euonymus bungeanus Ligustrum ibota Ligustrum ovalifolium Lonicera in variety Photinia villosa Physocarpus opulifolius Rhamnus frangula Viburnum lantana Viburnum lentago

For a Formal Clipped Hedge

TREES

Acer campestre
Acer ginnala
Carpinus carolinianum
Crataegus cordata
Crataegus crusgalli
Crataegus oxycantha

Picea excelsa
Pinus strobus
Taxus in variety
Thuja occidentalis and
varieties
Tsuga canadensis

SHRUBS

Berberis thunbergi Buxus sempervirens Euonymus alatus Euonymus alatus compactus Euonymus radicans vegetus Ilex crenata bullata Ilex crenata microphylla Ligustrum ibolium Ligustrum ovalifolium Pyracantha coccinea lalandi Rhamnus cathartica Rhamnus frangula

For an Informal, Flowering or Fruiting, or Evergreen Hedge

Berberis in variety
Cydonia japonica
Deutzia gracilis
Deutzia lemoinei
Euonymus patens
Forsythia spectabilis
Hibiscus syriacus
Juniperus pfitzeriana
Juniperus hetzi
Lonicera (bush forms)
Mahonia aquifolia
Philadelphus coronarius
Philadelphus lemoinei
Rhodotypos kerrioides

Rosa hugonis
Rosa rubiginosa
Rosa rugosa
Spirea bum. Anthony Waterer
Spirea thunbergi
Spirea Van Houttei
Sorbaria aitchisoni
Syringa alba
Syringa vulgaris
Taxus browni
Taxus hatfieldi
Viburnum dentatum
Viburnum lantana
Viburnum tomentosum

For a Wet Location

TREES

Evergreen

Chamaecyparis thyoides Thuja occidentalis and varieties Tsuga canadensis

Deciduous

Acer dasycarpum and Types Acer rubrum Amelanchier canadensis Carpinus caroliniana
Liquidambar styraciflua
Magnolia glauca
Nyssa sylvatica
Platanus occidentalis
Populus in variety
Quercus palustris
Salix in variety
Tilia americana
Ulmus americana

SHRUBS

Aronia arbutifolia
Benzoin aestivale
Cephalanthus occidentalis
Chionanthus virginica
Clethra alnifolia
Cornus alba
Cornus amomum
Cornus stolonifera
Hypericum densiflorum
Ilex glabra

Ilex verticillata
Rosa lucida
Rosa palustris
Salix in variety
Spirea tomentosa
Viburnum americanum
Viburnum cassinoides
Viburnum dentatum
Viburnum lentago
Viburnum opulus

For a Dry Location

TREES

Acer campestre
Acer ginnala
Ailanthus glandulosa
Betula populifolia
Celtis occidentalis
Fraxinus lanceolata
Gleditsia varieties

Koelreuteria paniculata Pinus strobus Pinus sylvestris Quercus coccinea Quercus macrocarpa Sophora japonica Ulmus pumila

For a Dry Location

SHRUBS

Acanthopanax pentaphyllum Amorpha fruticosa
Ceanothus americanus
Caragana arborescens
Colutea arborescens
Cornus paniculata
Eleagnus angustifolia
Eleagnus longipes
Juniperus chin, sargenti
Juniperus communis and
varieties
Juniperus horiz, douglasi
Ligustrum in variety

Lonicera tatarica varieties
Lycium chinense
Potentilla fruticosa
Prunus maritima
Rhamnus frangula
Rhus in variety
Robinia hispida
Rosa nitida
Rosa rugosa
Tamarix parviflora
Tamarix pentandra
Viburnum prunifolium

Berry-Bearing Trees and Shrubs

RED RERRIES

Aronia arbutifolia Benzoin aestivale Berberis thunbergi Cornus florida Cornus kousa Cornus mas Cotoneaster dielsiana Cotoneaster divaricata Cotoneaster franchetti Cotoneaster horizontalis Cotoneaster horiz, perpusilla Cotoneaster rotundifolia Cotoneaster salici F. floccosa Cotoneaster simonsi Crataegus coccinea Crataegus cordata Crataegus crusgalli Eleagnus longipes Euonymus alatus Euonymus alatus compacta Euonymus europaeus Euonymus radicans vegetus

Ilex verticillata Lonicera maacki Lonicera morrowi Lonicera tartarica Magnolia glauca Malus hopa Malus sargenti Photinia villosa Pyracantha cocc. lalandi Rhus canadensis Rosa blanda Rosa palustris Rosa rubiginosa Rosa rugosa Sorbus aucuparia Symphoricarpos chenaulti Symphoricarpos vulgaris Viburnum americanum Viburnum dilatatum Viburnum opulus Viburnum theiferum Viburnum wrighti

BLACK BERRIES

Amelanchier canadensis Aronia melanocarpa Berberis verruculosa Cotoneaster acutifolia Ilex crenata convexa Ilex glabra Ligustrum ibota Ligustrum regelianum

Ilex opaca

Rhamnus cathartica Rhamnus frangula Rhodotypos kerrioides Viburnum acerifolium Viburnum lantana Viburnum lentago Viburnum prunifolium Viburnum sieboldi

WHITE BERRIES

Cornus stolonifera Cornus paniculata Myrica carol. (gray) Pachysandra terminalis Symphoricarpos racemosus

DEEP BLUE-BLACK BERRIES

Berberis julianae Berberis triacanthophora Callicarpa japonica Callicarpa purpurea Cornus amomum Viburnum cassinoides Viburnum dentatum Viburnum molle Viburnum nudum

Small or Dwarf Plants for the Border

Abelia grandiflora Acer palmatum and varieties Azalea amoena Azalea hinodegiri Berberis triacanthophora Berberis verruculosa Buxus Ceanothus americanus Cotoneaster horiz, perpusilla Cotoneaster microphylla Deutiza gracilis Deutzia lemoinei Diervilla sessilifolia Euonymus radicans and varieties Hypericum moserianum Ilex convexa (bullata) Ilex crenata microphlla

Juniperus (spreading types) Leucothoe catesbaei Mahonia aquifolium Pachysandra terminalis Pieris floribunda Pieris japonica Potentilla varieties Prunus glandulosa Rosa nitida Spirea bum. Anthony Waterer Spirea thunbergi Stephanandra flexuosa Symphoricarpos (various) Taxus cuspidata nana Thuja (globe and dwarf forms) Viburnum opulus nana Zanthorhiza apiifolia

For a Smoky, Dusty, City Situation

TREES

Acer platanoides
Ailanthus glandulosa
Carpinus betulus
Celtis occidentalis
Crataegus crusgalli
Ginkgo biloba
Gleditsia triacanthus varieties

Phellodendron species
Pinus nigra austriaca
Pinus sylvestris
Platanus orientalis
Populus eugenie and
maximowiczii
Sophora japonica

SHRUBS

Acanthopanax pentaphyllum Aralia spinosa Berberis thunbergi Colutea arborescens Crataegus cordata Forsythia in variety Ilex crenata Ilex microphylla Ligustrum in variety Lonicera fragrantissima Lonicera morrowi Physocarpus opulifolius Rhodotypos kerrioides Spiraea Van Houttei Symphoricarpos in variety Syringa vulgaris Viburnum cassinoides

For Partially Shaded Locations

TREES

Acer ginnala Amelanchier canadensis Chionanthus virginica Cornus florida and rubra Halesia tetraptera

Magnolia glauca Ilex opaca (Evergreen) Oxydendron arboreum Tsuga canadensis (Evergreen)

For Partially Shaded Locations

SHRUBS

Abelia grandiflora Acanthopanax pentaphyllum Aronia species *Benzoin aestivale Berberis julianae Calveanthus floridus Cephalanthus occidentalis Cercis canadensis and chinensis Clethra alnifolia Cornus alternifolia Cornus mas Diervilla sessilifolia Euonymus fortunei and varieties *Hamamelis *Hedera helix Hydrangea arborescens grand.

Ligustrum ibota regelianum Ligustrum ovalifolium Lonicera fragrantissima Lonicera morrowi *Mahonia aquifolia Pachysandra terminalis Pieris floribunda Pieris iaponica Potentilla fruticosa Pyracantha cocc, lalandi *Rhododendron raximum Rhodotypos kerrioides Stephanandra flexuosa *Symphoricarpos Taxus baccata repandens Taxus cuspidata Viburnum acerifolium Viburnum lentago Viburnum opulus Viburnum prunifolium

*Leucothoe cataeshaei

*Vinca minor
Zanthorhiza apiifolia

(*tolerates dense shade)

*Kalmia

Ilex glabra

Ilex verticillata

*Kerria japonica

Trees for Avenues and Streets

Habit — Tall, formal and heavy

Acer platanoides
Acer saccharum
Liriodendron tulipifera
Platanus orientalis
Quercus rubra
Tilia americana
Tilia tomentosa

Hydrangea quercifolia

Ilex crenata microphylla

Hypericum aureum

Habit — Tall, medium to light textured

Acer dasycarpum Acer rubrum Ailanthus glandulosa Fraxinus americana Fraxinus lanceolata Ginkgo biloba Gleditsia triacanthos inermis Quercus coccinea Quercus palustris Ulmus americanum

Habit — Medium height for narrow, residential street

Acer campestre
Acer plat. columnare
Betula alba
Celtis occidentalis
Cercidiphyllum japonicum
Koelreuteria paniculata
Liquidambar styraciflua
Phellodendron chinense
Prunus Kwanzan
Prunus yedoensis
Sophora japonica
Sorbus aucuparia
Tilia cordata

For Seashore Locations

TREES

Acer pseudoplatanus Amelanchier canadensis Ilex opaca Nyssa sylvatica Pinus thunbergi Plantanus acerifolium Populus alba bolleana Populus eugenei

For Seashore Locations

SHRUBS

Aronia arbutifolia
Clethra alnifolia
Eleagnus angustifolia
Eleagnus umbellata
Hibiscus syriacus
Hydrangea Otaksa
Ilex glabra
Juniperus horiz. Bar Harbor
Juniperus horiz. plumosa
Ligustrum ovalifolium

Myrica pennsylvanicum Prunus maritima Rhus species Rosa rugosa Rosa blanda Rosa wichuriana Syringa vulgaris Tamarix species Viburnum dentatum

MEMORANDA

GROWERS OF HIGH DRADE CHRAMENTAL I GERRY TELL

OO ACRES

PRINCETON

PRINCETON



Nurseries

NEW JERSEY

WM FLEMER'S SONS INC

PRINCETON 1116 171

February 17, 1956.

United States Dept of Arriculture, Library, Washington 25, D.C.

> A'C: Mr. Foster E. Wohrhardt, Eirector

Gentlemen:

Replying to your request for our catalog, you will find enclosed a copy of our new spring issue.

Will you please make a notation in your records, that we sell wholesale only, and do not have the facilities to take care of retail or individual purchases.

We hope you will find the catalog of interest to you.

Yours very truly

TM. FLYNDR'S 90YS/INC. t/a PRINCITON NOTSTRIPS

PRINCE FON 1 1 1 1 15

·

SPECIAL OFFER - ASSORTED SHRUBS

Our selection includes all desirable varieties for landscape plantings.

Many of our customers have asked us for assorted shrubs where the varieties do not have to be specified. We are, therefore, offering two groups of shrubs this season. The varieties used will naturally be made up of items that we have in good supply at the time.

	100 or more	1000 or more
GROUP A—Shrubs, 2 yr. Average 2 ft. or more, including many good ornamental varieties of Cornus, Deutzia, Spirea, Lonicera and others		.35
GROUP B—Shrubs, 3 yr. Average 3 ft. or more, including many good ornamental varieties as above	.45	.40

We may also from time to time have special offers of assorted SHADE TREES, SMALL EVERGREENS, or other items. Consult us first and take advantage of the savings involved.



PRINCETON PRODUCTS ARE QUALITY PRODUCTS